AUTHOR INDEX

A

Abbas, A. K. *See* Boom, Liano, and Abbas.

Ablashi, D. V. *See* Lusso, Markham, Tschachler, di Marzo Veronese, Salahuddin, Ablashi, Pahwa, Krohn, and Gallo.

Abrignani, S. *See* Lanzavecchia, Abrignani, Scheidegger, Obrist, Dörken, and Moldenhauer.

Accolla, R. *See* Koch, Candeias, Guardiola, Accolla, Benoist, and Mathis.

Acha-Orbea, H. *See* Zamvil, Mitchell, Lee, Moore, Waldor, Sakai, Rothbard, McDevitt, Steinman, and Acha-Orbea.

Adachi, M., Hayami, M., Kashiwagi, N., Mizuta, T., Ohta, Y., Gill, M. J., Matheson, D. S., Tamaoki, T., Shiozawa, C., and Hakomori, S.-I. Expression of Le^y antigen in human immunodeficiency virus-infected human T cell lines and in peripheral lymphocytes of patients with acquired immune deficiency syndrome (AIDS) and AIDS-related complex (ARC). 323.

Adam, R. D., Aggarwal, A., Lal, A. A., de la Cruz, V. F., McCutchan, T., and Nash, T. E. Antigenic variation of a cysteine-rich protein in *Giardia lamblia*. 109.

Adams, J. M. *See* Harris, Pinkert, Crawford, Langdon, Brinster, and Adams.

Aderem, A. A., and Cohn, Z. A. Calcium ionophore synergizes with bacterial lipopolysaccharides in activating macrophage arachidonic acid metabolism. 623.

Ager, L. L. *See* Sowder, Chen, Ager, Chan, and Cooper.

Aggarwal, A. *See* Adam, Aggarwal, Lal, de la Cruz, McCutchan, and Nash.

Ahmed, R., and Oldstone, M. B. A. Organ-specific selection of viral variants during chronic infection. 1719.

Akahoshi, T., Oppenheim, J. J., and Matsushima, K. Induction of high-affinity interleukin 1 receptor on human peripheral blood lymphocytes by glucocorticoid hormones. 924.

Albino, A. P. *See* Houghton, Albino, Cordon-Cardo, Davis, and Eisinger.

Alicot, E. M. *See* Carroll, Alicot, Katzman, Klickstein, Smith, and Fearon.

Allbritton, N. L., Verret, C. R., Wolley, R. C., and Eisen, H. N. Calcium ion concentrations and DNA fragmentation in target cell destruction by murine cloned cytotoxic T lymphocytes. 514.

Alouf, J. E. *See* Jupin, Anderson, Damais, Alouf, and Parant.

Alroy, J. *See* Ward, Alroy, Lev, Keusch, and Pereira.

Altmann, D. M. *See* Wilkinson, de Vries, Madrigal, Lock, Morgenstern, Trowsdale, and Altmann.

Anderson, S. *See* Jupin, Anderson, Damais, Alouf, and Parant.

Andrews, N. W., Robbins, E. S., Ley, V., Hong, K. S., and Nussenzweig, V. Developmentally regulated, phospholipid C-mediated release of the major surface glycoprotein of amastigotes of *Trypanosoma cruzi*. 300.

Anegón, I., Cuturi, M. C., Trinchieri, G., and Perussia, B. Interaction of Fc receptor (CD16) ligands induces transcription of interleukin 2 receptor (CD25) and lymphokine genes and expression of their products in human natural killer cells. 452.

Ansari, A. *See* van de Water, Gershwin, Leung, Ansari, and Coppel.

Appella, E. *See* Matsushima, Morishita, Yoshimura, Lavu, Kobayashi, Lew, Appella, Kung, Leonard, and Oppenheim.

Araneda, D. *See* Di Stefano, Mouzaki, Araneda, Diamantstein, Tilney, and Kupiec-Weglinski.

Arnheim, N. *See* Shibata, Arnheim, and Martin.

Atzpodien, J. *See* Klein, Ozer, Traganos, Atzpodien, Oettgen, and Old.

Austyn, J. M., Kupiec-Weglinski, J. W., Hankins, D. F., and Morris, P. J. Migration patterns of dendritic cells in the mouse. Homing to T cell-dependent areas of spleen, and binding within the marginal zone. 646.

— *See* Kupiec-Weglinski, Austyn, and Morris.

B

Baccarini, M., Hockertz, S., Kiderlen, A. F., and Lohmann-Matthes, M.-L. Extracellular killing of *Leishmania* promastigotes and amastigotes by macrophage precursors derived from bone marrow cultures. 1486.

Bacha, P., Williams, D. P., Waters, C., Williams, J. M., Murphy, J. R., and Strom, T. B. Interleukin 2 receptor-targeted cytotoxicity. Interleukin 2 receptor-mediated action of a diphtheria toxin-related interleukin 2 fusion protein. 612.

Baer, R., Forster, A., Lavenier, I., and Rabbitts, T. H. Immunoglobulin V_H genes are transcribed by T cells in association with a new 5' exon. 2011.

Baggiolini, M. *See* Peveri, Walz, Dewald, and Baggiolini.

Bailey, C. *See* Painter, Monestier, Chew, Bona-Dimitriu, Kasturi, Bailey, Scott, Sidman, and Bona.

Ballhausen, W. G., Reske-Kunz, A. B., Tourvieille, B., Ohashi, P. S., Parnes, J. R., and Mak, T. W. Acquisition of an additional antigen specificity after mouse CD4 gene transfer into a T helper hybridoma. 1493.

Banchereau, J. *See* Bonnefoy, Guillot, Spits, Blanchard, Ishizaka, and Banchereau.

Banda, M. J., Rice, A. G., Griffin, G. L., and Senior, R. M. The inhibitory complex of human α_1-proteinase inhibitor and human leukocyte elastase is a neutrophil chemoattractant. 1608.

Banerjee, S., Haqqi, T. M., Luthra, H. S., Stuart, J. M., and David, C. S. Possible role of V_β T cell receptor genes in susceptibility to collagen-induced arthritis in mice. 832.

Barney, C. *See* Lanier, Buck, Rhodes, Ding, Evans, Barney, and Phillips.

Barth, C. F., and Humphries, E. H. A nonimmunosuppressive helper virus allows high efficiency induction of B cell lymphomas by reticuloendotheliosis virus strain T. 89.

Baseman, J. B. *See* Dallo, Su, Horton, and Baseman.

Beachey, E. H. *See* Bronze, Beachey, and Dale.

Beadling, C. *See* Green, Rich, and Beadling.

Becker, A. *See* Li, Becker, and Stanley.

Beining, P. R. *See* Golding, Robey, Gates, Linder, Beining, Hoffman, and Golding.

Bell, M. P. *See* Buerstedde, Pease, Bell, Nilson, Buerstedde, Murphy, and McKean.

Bellgrau, D. *See* Georgiou, Lagarde, and Bellgrau.

Ben-Chetrit, E., Chan, E. K. L., Sullivan, K. F., and Tan, E. M. A 52-kD protein is a novel component of the SS-A/Ro antigenic particle. 1560.

Benjamin, D. *See* Hafler, Luby, Lee, Benjamin, Seidman, and Weiner.

Benoist, C. *See* Koch, Candeias, Guardiola, Accolla, Benoist, and Mathis.

Berman, A. B. *See* Nayak, Berman, George, Eisenbarth, and King.

Bertini, R., Bianchi, M., and Ghezzi, P. Adrenalectomy sensitizes mice to the lethal effects of interleukin 1 and tumor necrosis factor. 1708.

Berzofsky, J. A. *See* Kojima, Cease, Buckenmeyer, and Berzofsky.

Bessen, D., and Fischetti, V. A. Passive acquired mucosal immunity to group A streptococci by secretory immunoglobulin A. 1945.

Betuel, H. *See* Roncarolo, Yssel, Touraine, Betuel, de Vries, and Spits.

Beutler, B. *See* Tracey, Wei, Manogue, Fong, Hesse, Nguyen, Kuo, Beutler, Cotran, Cerami, and Lowry. — *See* Wolpe, Davatelis, Sherry, Beutler, Hesse, Nguyen, Moldawer, Nathan, Lowry, and Cerami.

Bevan, M. J. *See* Carbone, Moore, Sheil, and Bevan.

Bianchi, M. *See* Bertini, Bianchi, and Ghezzi.

Billiau, A. *See* Van Damme, Van Beeumen, Opdenakker, and Billiau.

Bjorndahl, J. M. *See* Sung, Bjorndahl, Wang, Kao, and Fu.

Blanchard, D. *See* Bonnefoy, Guillot, Spits, Blanchard, Ishizaka, and Banchereau.

Bleackley, C. *See* Mueller, Gershenfeld, Lobe, Okada, Bleackley, and Weissman.

Bolhuis, R. L. H. *See* Borst, van Dongen, Bolhuis, Peters, Hafler, de Vries, and van de Griend.

Bona, C. A. *See* Painter, Monestier, Chew, Bona-Dimitriu, Kasturi, Bailey, Scott, Sidman, and Bona.

Bona-Dimitriu, A. *See* Painter, Monestier, Chew, Bona-Dimitriu, Kasturi, Bailey, Scott, Sidman, and Bona.

Bonnefoy, J. Y., Guillot, O., Spits, H., Blanchard, D., Ishizaka, K., and Banchereau, J. The low-affinity receptor for IgE (CD23) on B lymphocytes is spatially associated with HLA-DR antigens. 57.

Boom, W. H., Liano, D., and Abbas, A. K. Heterogeneity of helper/inducer T lymphocytes. II. Effects of interleukin 4– and interleukin 2–producing T cell clones on resting B lymphocytes. 1350.

Borst, J., van Dongen, J. J. M., Bolhuis, R. L. H., Peters, P. J., Hafler, D. A., de Vries, E., and van de Griend, R. J. Distinct molecular forms of human T cell receptor γ/δ detected on viable T cells by a monoclonal antibody. 1625.

Bosma, G. C., Fried, M., Custer, R. P., Carroll, A., Gibson, D. M., and Bosma, M. J. Evidence of functional lymphocytes in some (leaky) *scid* mice. 1016.

Bosma, M. J. *See* Bosma, Fried, Custer, Carroll, Gibson, and Bosma.

Bottino, C. *See* Ciccone, Viale, Bottino, Pende, Migone, Casorati, Tambussi, Moretta, and Moretta.

Brandon, M. R. *See* Mackay, Kimpton, Brandon, and Cahill.

Brill-Dashoff, J. *See* Clayman, Sun, Michaud, Brill-Dashoff, Riblet, and Neilson.

Brinster, R. L. *See* Harris, Pinkert, Crawford, Langdon, Brinster, and Adams.

Brocker, T. *See* Pawelec, Fernandez, Brocker, Schneider, Festenstein, and Wernet.

Bronze, M. S., Beachey, E. H., and Dale, J. B. Protective and heart-crossreactive epitopes located within the NH_2 terminus of type 19 streptococcal M protein. 1849.

Brown, E. J., and Goodwin, J. L. Fibronectin receptors of phagocytes. Characterization of the Arg-Gly-Asp binding proteins of human monocytes and polymorphonuclear leukocytes. 777.

Buck, D. W. *See* Lanier, Buck, Rhodes, Ding, Evans, Barney, and Phillips.

Buckenmeyer, G. K. *See* Kojima, Cease, Buckenmeyer, and Berzofsky.

Buerstedde, G. *See* Buerstedde, Pease, Bell, Nilson, Buerstedde, Murphy, and McKean.

Buerstedde, J.-M., Pease, L. R., Bell, M. P., Nilson, A. E., Buerstedde, G., Murphy, D., and McKean, D. J. Identification of an immunodominant region on the I-A β chain using site-directed mutagenesis and DNA-mediated gene transfer. 473.

Bühring, H.-J. *See* Mutter, Reddehase, Busch, Bühring, and Koszinowski.

Buller, R. S., Sitbon, M., and Portis, J. L. The endogenous mink cell focus-forming (MCF) gp70 linked to the *Rmcf* gene restricts MCF virus replication in vivo and provides partial resistance to erythroleukemia induced by Friend murine leukemia virus. 1535.

Burke, D. S. *See* Gendelman, Orenstein, Martin, Ferrua, Mitra, Phipps, Wahl, Lane, Fauci, Burke, Skillman, and Meltzer.

Burns-Purzycki, C. *See* Heber-Katz, Valentine, Dietzschold, and Burns-Purzycki.

Busch, F. W. *See* Mutter, Reddehase, Busch, Bühring, and Koszinowski.

Büttner, D. W. *See* Lucius, Schulz-Key, Büttner, Kern, Kaltmann, Prod'hon, Seeber, Walter, Saxena, and Diesfeld.

Button, L. L., and McMaster, W. R. Molecular cloning of the major surface antigen of Leishmania. 724.

C

Cahill, R. N. P. *See* Mackay, Kimpton, Brandon, and Cahill.

Calabia, R. *See* Sisson, Drummond, Samonte, Calabia, and Kappas.

Calderon, T. *See* Pytowski, Easton, Valinsky, Calderon, Sun, Christman, Wright, and Michl.

Campbell, H. D. *See* Lopez, Sanderson, Gamble, Campbell, Young, and Vadas.

Campos-Torres, J. *See* Nussenzweig, Shaw, Sinn, Campos-Torres, and Leder.

Candeias, S. *See* Koch, Candeias, Guardiola, Accolla, Benoist, and Mathis.

Carbone, F. R., Moore, M. W., Sheil, J. M., and Bevan, M. J. Induction of cytotoxic T lymphocytes by primary in vitro stimulation with peptides. 1767.

Carroll, A. *See* Bosma, Fried, Custer, Carroll, Gibson, and Bosma.

Carroll, M. C., Alicot, E. M., Katzman, P. J., Klickstein, L. B., Smith, J. A., and Fearon, D. T. Organization of the genes encoding complement receptors type 1 and 2, decay-accelerating factor, and C4-binding protein in the RCA locus on human chromosome 1. 1271.

Carson, D. A. *See* Kipps, Tomhave, Chen, and Carson.

— *See* Lotz, Jirik, Kabouridis, Tsoukas, Hirano, Kishimoto, and Carson.

Carter, R. *See* Szarfman, Walliker, McBride, Lyon, Quakyi, and Carter.

Casorati, G. *See* Ciccone, Viale, Bottino, Pende, Migone, Casorati, Tambussi, Moretta, and Moretta.

Caspi, D. *See* Hawkins, Myers, Epenetos, Caspi, and Pepys.

Cease, K. B. *See* Kojima, Cease, Buckenmeyer, and Berzofsky.

Cerami, A. *See* Davatelis, Wolpe, Luedke, Tekamp-Olson, Merryweather, Hermsen, Gallegos, Coit, and Cerami.

— *See* Ranges, Zlotnik, Espevik, Dinarello, Cerami, and Palladino.

— *See* Tracey, Wei, Manogue, Fong, Hesse, Nguyen, Kuo, Beutler, Cotran, Cerami, and Lowry.

— *See* Wolpe, Davatelis, Sherry, Beutler, Hesse, Nguyen, Moldawer, Nathan, Lowry, and Cerami.

Cerottini, J.-C. *See* Maryanski, Pala, Cerottini, and Corradin.

Chai, A. *See* Wicker, Miller, Chai, Terada, and Mullen.

Chan, E. K. L. *See* Ben-Chetrit, Chan, Sullivan, and Tan.

Chan, M. M. *See* Sowder, Chen, Ager, Chan, and Cooper.

Chang, C. K. *See* Gottlieb, Chang, Posnett, Fanelli, and Tam.

Chase, C. G. *See* Griffith, Nabavi, Ghogawala, Chase, Rodriguez, McKean, and Glimcher.

Chatelet, F. *See* Sahali, Mulliez, Chatelet, Dupuis, Ronco, and Verroust.

Chauhan, Y. *See* Rodman, Pruslin, Chauhan, To, and Winston.

Chen, C.-L. H. *See* Sowder, Chen, Ager, Chan, and Cooper.

Chen, P. P. *See* Kipps, Tomhave, Chen, and Carson.

Chew, A. *See* Painter, Monestier, Chew, Bona-Dimitriu, Kasturi, Bailey, Scott, Sidman, and Bona.

Chien, N. C., Pollock, R. R., Desaymard, C., and Scharff, M. D. Point mutations cause the somatic diversification of IgM and IgG2a antiphosphorylcholine antibodies. 954.

Chin, J. *See* Singer, Scott, Hall, Limjuco, Chin, and Schmidt.

Christman, J. K. *See* Pytowski, Easton, Valinsky, Calderon, Sun, Christman, Wright, and Michl.

Chua, K. Y., Stewart, G. A., Thomas, W. R., Simpson, R. J., Dilworth, R. J., Plozza, T. M., and Turner, K. J. Sequence analysis of cDNA coding for a major house dust mite allergen, *Der p.* I. Homology with cysteine proteases. 175.

Ciccone, E., Viale, O., Bottino, C., Pende, D., Migone, N., Casorati, G., Tambussi, G., Moretta, A., and Moretta, L. Antigen recognition by human T cell receptor γ-positive lymphocytes. Specific lysis of allogeneic cells after activation in mixed lymphocyte culture. 1517.

Clarick, R. H. *See* Sehgal, Helfgott, Santhanam, Tatter, Clarick, Ghrayeb, and May.

Clark, S. J., Law, D. A., Paterson, D. J., Puklavec, M., and Williams, A. F. Activation of rat T lymphocytes by anti-CD2 monoclonal antibodies. 1861.

Clarkson, S. B., and Ory, P. A. CD16. Developmentally regulated IgG Fc receptors on cultured human monocytes. 408.

Clayberger, C. A. *See* Seong, Clayberger, Krensky, and Parnes.

Clayman, M. D., Sun, M. J., Michaud, L., Brill-Dashoff, J., Riblet, R., and Neilson, E. G. Clonotypic heterogeneity in experimental interstitial nephritis. Restricted specificity of the anti-tubular basement membrane B cell repertoire is associated with a disease-modifying crossreactive idiotype. 1296.

Cleary, M. L., Galili, N., Trela, M., Levy, R., and Sklar, J. Single cell origin of bigenotypic and biphenotypic B cellproliferations in human follicular lymphomas. 582.

—, **Mellentin, J. D., Spies, J., and Smith, S. D.** Chromosomal translocation involving the β T cell receptor gene in acute leukemia. 682.

Cohen, P. L. *See* Katagiri, Cohen, and Eisenberg.

Cohn, Z. A. *See* Aderem and Cohn.

— *See* McElrath, Murray, and Cohn.

Coit, D. *See* Davatelis, Wolpe, Luedke, Tekamp-Olson, Merryweather, Hermsen, Gallegos, Coit, and Cerami.

Cole, F. S. *See* Katz, Cole, and Strunk.

Coligan, J. E. *See* Koning, Kruisbeek, Maloy, Marušic-Galešic, Pardoll, Shevach, Stingl, Valas, Yokoyama, and Coligan.

Collins, P. *See* Ljunggren, Yamasaki, Collins, Klein, and Kärre.

Conzelmann, A., and Lefrancois, L. Monoclonal antibodies specific for T cell-associated carbohydrate determinants react with human blood group antigens CAD and SDA. 119.

Cooper, M. D. *See* Sowder, Chen, Ager, Chan, and Cooper.

Coppel, R. L. *See* van de Water, Gershwin, Leung, Ansari, and Coppel.

Corbi, A. L., Larson, R. S., Kishimoto, T. K., Springer, T. A., and Morton, C. C. Chromosomal location of the genes encoding the leukocyte adhesion receptors LFA-1, Mac-1, and p150, 95. Identification of a gene cluster involved in cell adhesion. 1597.

Cordon-Cardo, C. *See* Houghton, Albino, Cordon-Cardo, Davis, and Eisinger.

Corradin, G. *See* Maryanski, Pala, Cerottini, and Corradin.

Cotran, R. S. *See* Tracey, Wei, Manogue, Fong, Hesse, Nguyen, Kuo, Beutler, Cotran, Cerami, and Lowry.

Coulie, P. G. *See* Uyttenhove, Coulie, and van Snick.

Crawford, L. *See* Lübbert, Miller, Crawford, and Koeffler.

Crawford, M. *See* Harris, Pinkert, Crawford, Langdon, Brinster, and Adams.

Cronstein, B. N. *See* Rose, Hirschhorn, Weissmann, and Cronstein.

Custer, R. P. *See* Bosma, Fried, Custer, Carroll, Gibson, and Bosma.

Cuturi, M. C. *See* Anegón, Cuturi, Trinchieri, and Perussia.

D

Dahinden, C. A., Zingg, J., Maly, F. E., and de Weck, A. L. Leukotriene production in human neutrophils primed by recombinant human granulocyte/macrophage colony-stimulating factor and stimulated with the complement component C5A and FMLP as second signals. 1281.

Dale, J. B. *See* Bronze, Beachey, and Dale.

Dallo, S. F., Su, C. J., Horton, J. R., and Baseman, J. B. Identification of P1 gene domain containing epitope(s) mediating *Mycoplasma pneumoniae* cytadherence. 718.

Dalton, J. P. *See* Haynes, Dalton, Klotz, McGinniss, Hadley, Hudson, and Miller.

Damais, C. *See* Jupin, Anderson, Damais, Alouf, and Parant.

da Silva, R. P. *See* Puentes, Sacks, da Silva, and Joiner.

Davatelis, G., Wolpe, S. D., Luedke, C., Tekamp-Olson, P., Merryweather, J., Hermsen, K., Gallegos, C., Coit, D., and Cerami, A. Cloning and characterization of a cDNA for murine macrophage inflammatory protein (MIP), a novel monokine with inflammatory and chemokinetic properties. 1939.

— *See* Wolpe, Davatelis, Sherry, Beutler, Hesse, Nguyen, Moldawer, Nathan, Lowry, and Cerami.

David, C. S. *See* Banerjee, Haqqi, Luthra, Stuart, and David.

Davis, L. J. *See* Houghton, Albino, Cordon-Cardo, Davis, and Eisinger.

Day, L. E. *See* Ezekowitz, Day, and Herman.

Dayer, J.-M. *See* Seckinger, Isaaz, and Dayer.

de Aizpurua, H. J., and Russell-Jones, G. J. Oral vaccination. Identification of classes of proteins that provoke an immune response upon oral feeding. 440.

de la Cruz, V. F. *See* Adam, Aggarwal, Lal, de la Cruz, McCutchan, and Nash.

Desaymard, C. *See* Chien, Pollock, Desaymard, and Scharff.

Desiderio, S. V., and Wolff, K. R. Rearrangement of exogenous immunoglobulin V_H and DJ_H gene segments after retroviral transduction into immature lymphoid cell lines. 372.

Deuel, T. F. *See* Pierce, Mustoe, Senior, Reed, Griffen, Thomason, and Deuel.

de Vries, E. *See* Borst, van Dongen, Bolhuis, Peters, Hafler, de Vries, and van de Griend.

de Vries, J. E. *See* Roncarolo, Yssel, Touraine, Betuel, de Vries, and Spits.

de Vries, R. R. P. *See* Wilkinson, de Vries, Madrigal, Lock, Morgenstern, Trowsdale, and Altmann.

Dewald, B. *See* Peveri, Walz, Dewald, and Baggiolini.

de Weck, A. L. *See* Dahinden, Zingg, Maly, and de Weck.

Diamantstein, T. *See* Di Stefano, Mouzaki, Araneda, Diamantstein, Tilney, and Kupiec-Weglinski.

Diesfeld, H.-J. *See* Lucius, Schulz-Key, Büttner, Kern, Kaltmann, Prod'hon, Seeber, Walter, Saxena, and Diesfeld.

Dietzschold, B. *See* Heber-Katz, Valentine, Dietzschold, and Burns-Purzycki.

Dilworth, R. J. *See* Chua, Stewart, Thomas, Simpson, Dilworth, Plozza, and Turner.

di Marzo Veronese, F. *See* Lusso, Markham, Tschachler, di Marzo Veronese, Salahuddin, Ablashi, Pahwa, Krohn, and Gallo.

Dinarello, C. A. *See* Ranges, Zlotnik, Espevik, Dinarello, Cerami, and Palladino.

Ding, A., and Nathan, C. Analysis of the nonfunctional respiratory burst in murine Kupffer cells. 1154.

— *See* Lanier, Buck, Rhodes, Ding, Evans, Barney, and Phillips.

Di Stefano, R., Mouzaki, A., Araneda, D., Diamantstein, T., Tilney, N. L., and Kupiec-Weglinski, J. W. Anti-interleukin 2 receptor monoclonal antibodies spare phenotypically distinct T suppressor cells in vivo and exert synergistic biological effects. 1981.

Donaldson, V. *See* Kleniewski and Donaldson.

Dörken, B. *See* Lanzavecchia, Abrignani, Scheidegger, Obrist, Dörken, and Moldenhauer.

Drummond, G. S. *See* Sisson, Drummond, Samonte, Calabia, and Kappas.

Duby, A. D. *See* Hafler, Duby, Lee, Benjamin, Seidman, and Weiner.

Dupuis, R. *See* Sahali, Mulliez, Chatelet, Dupuis, Ronco, and Verroust.

Dustin, M. L., Singer, K. H., Tuck, D. T., and Springer, T. A. Adhesion of T lymphoblasts to epidermal keratinocytes is regulated by interferon γ and is mediated by intercellular adhesion molecule 1 (ICAM-1). 1323.

Dwek, R. *See* Parekh, Roitt, Isenberg, Dwek, and Rademacher.

E

Easton, T. G. *See* Pytowski, Easton, Valinsky, Calderon, Sun, Christman, Wright, and Michl.
Edwards, C. F. *See* Gregory, Murray, Edwards, and Rickinson.
Eguchi, M. *See* Yamaguchi, Suda, Suda, Eguchi, Miura, Harada, Tominaga, and Takatsu.
Eisen, H. N. *See* Allbritton, Verret, Wolley, and Eisen.
— *See* Ferguson, Verret, Reilly, Iannini, and Eisen.
Eisenbarth, G. S. *See* Nayak, Berman, George, Eisenbarth, and King.
Eisenberg, R. A. *See* Katagiri, Cohen, and Eisenberg.
Eisinger, M. *See* Houghton, Albino, Cordon-Cardo, Davis, and Eisinger.
Engelhard, V. H. *See* Gray, Gnarra, Hewlett, and Engelhard.
Epenetos, A. A. *See* Hawkins, Myers, Epenetos, Caspi, and Pepys.
Espevik, T. *See* Ranges, Zlotnik, Espevik, Dinarello, Cerami, and Palladino.
— *See* Waage and Espevik.
Evans, E. *See* Lanier, Buck, Rhodes, Ding, Evans, Barney, and Phillips.
Ezekowitz, R. A. B., Day, L. E., and Herman, G. A. A human mannose-binding protein is an acute-phase reactant that shares sequence homology with other vertebrate lectins. 1034.

F

Fanelli, B. *See* Gottlieb, Chang, Posnett, Fanelli, and Tam.
Fauci, A. S. *See* Gendelman, Orenstein, Martin, Ferrua, Mitra, Phipps, Wahl, Lane, Fauci, Burke, Skillman, and Meltzer.
Faure, F. *See* Triebel, Faure, Graziani, Jitsukawa, Lefranc, and Hercend.
Fearon, D. T. *See* Carroll, Alicot, Katzman, Klickstein, Smith, and Fearon.
— *See* Weis, Toothaker, Smith, Weis, and Fearon.
Ferguson, W. S., Verret, C. R., Reilly, E. B., Iannini, M. J., and Eisen, H. N. Serine esterase and hemolytic activity in human cloned cytotoxic T lymphocytes. 528.
Fernandez, N. *See* Pawelec, Fernandez, Brocker, Schneider, Festenstein, and Wernet.
Ferrua, C. *See* Gendelman, Orenstein, Martin, Ferrua, Mitra, Phipps, Wahl, Lane, Fauci, Burke, Skillman, and Meltzer.
Festenstein, H. *See* Pawelec, Fernandez, Brocker, Schneider, Festenstein, and Wernet.
Fiers, W. *See* Havell, Fiers, and North.
— *See* Lapierre, Fiers, and Pober.
Finkelman, F. D. *See* Snapper, Finkelman, and Paul.
Fischetti, V. A. *See* Bessen and Fischetti.
— *See* Jones and Fischetti.
Fleischer, B., and Schrezenmeier, H. T cell stimulation by staphylococcal enterotoxins. Clonally variable response and requirement for major histocompatibility complex class II molecules on accessory or target cells. 1697.
Fong, Y. *See* Tracey, Wei, Manogue, Fong, Hesse, Nguyen, Kuo, Beutler, Cotran, Cerami, and Lowry.
Fontana, A. *See* Leist, Frei, Kam-Hansen, Zinkernagel, and Fontana.
Forster, A. *See* Baer, Forster, Lavenier, and Rabbitts.
Frei, K. *See* Leist, Frei, Kam-Hansen, Zinkernagel, and Fontana.
Fried, M. *See* Bosma, Fried, Custer, Carroll, Gibson, and Bosma.
Friedman, A. *See* Socher, Friedman, and Martinez.
Fu, S. M. *See* Sung, Bjorndahl, Wang, Kao, and Fu.
Fuggle, S. V. *See* Irlé, Jaques, Tiercy, Fuggle, Gorski, Termijtelen, Jeannet, and Mach.

G

Galili, N. *See* Cleary, Galili, Trela, Levy, and Sklar.
Gallegos, C. *See* Davatelis, Wolpe, Luedke, Tekamp-Olson, Merryweather, Hermsen, Gallegos, Coit, and Cerami.
Gallo, R. C. *See* Lusso, Markham, Tschachler, di Marzo Veronese, Salahuddin, Ablashi, Pahwa, Krohn, and Gallo.
Gamble, J. R. *See* Lopez, Sanderson, Gamble, Campbell, Young, and Vadas.
Gao, E.-K. *See* Sprent, Schaefer, Gao, and Korngold.
Gates, F. T., III *See* Golding, Robey, Gates, Linder, Beining, Hoffman, and Golding.
Geha, R. S. *See* Vercelli, Jabara, Lee, Woodland, Geha, and Leung.
Gendelman, H. E., Orenstein, J. M., Martin, M. A., Ferrua, C., Mitra, R., Phipps, T., Wahl, L. A., Lane, H. C., Fauci, A. S., Burke, D. S., Skillman, D., and Meltzer, M. S. Efficient isolation and propagation of human immunodeficiency virus on recombinant colony-stimulating factor 1–treated monocytes. 1428.
George, K. L. *See* Nayak, Berman, George, Eisenbarth, and King.
Georgiou, H. M., Lagarde, A.-C., and Bellgrau, D. T cell dysfunction in the diabetes-prone BB rat. A role for thymic migrants that are not T cell precursors. 132.
Gerrard, T. L. *See* Sharon, Siegel, Tosato, Yodoi, Gerrard, and Leonard.
Gershenfeld, H. K. *See* Mueller, Gershenfeld, Lobe, Okada, Bleackley, and Weissman.
Gershwin, M. E. *See* van de Water, Gershwin, Leung, Ansari, and Coppel.
Ghezzi, P. *See* Bertini, Bianchi, and Ghezzi.
Ghogawala, Z. *See* Griffith, Nabavi, Ghogawala, Chase, Rodriguez, McKean, and Glimcher.
Ghrayeb, J. *See* Sehgal, Helfgott, Santhanam, Tatter, Clarick, Ghrayeb, and May.
Gibson, D. M. *See* Bosma, Fried, Custer, Carroll, Gibson, and Bosma.

Gill, M. J. *See* Adachi, Hayami, Kashiwagi, Mizuta, Ohta, Gill, Matheson, Tamaoki, Shiozawa, and Hakomori.

Glass, J. D. *See* Qu, Odin, Glass, and Unkeless.

Glimcher, L. H. *See* Griffith, Nabavi, Ghogawala, Chase, Rodriguez, McKean, and Glimcher.

Gnarra, J. *See* Gray, Gnarra, Hewlett, and Engelhard.

Golding, B. *See* Golding, Robey, Gates, Linder, Beining, Hoffman, and Golding.

Golding, H., Robey, F. A., Gates, F. T., III, Linder, W., Beining, P. R., Hoffman, T., and Golding, B. Identification of homologous regions in human immunodeficiency virus I gp41 and human MHC class II β 1 domain. I. Monoclonal antibodies against the gp41-derived peptide and patients' sera react with native HLA class II antigens, suggesting a role for autoimmunity in the pathogenesis of acquired immune deficiency syndrome. 914.

Goldman, P. L. *See* Graninger, Goldman, Morton, O'Brian, and Korsmeyer.

Good, R. A. *See* Oyaizu, Yasumizu, Miyama-Inaba, Nomura, Yoshida, Miyawaki, Shibata, Mitsuoka, Yasunaga, Morii, Good, and Ikehara.

Goodwin, J. L. *See* Brown and Goodwin.

Gorski, J. *See* Irlé, Jaques, Tiercy, Fuggle, Gorski, Termijtelen, Jeannet, and Mach.

Gottlieb, A. B., Chang, C. K., Posnett, D. N., Fanelli, B., and Tam, J. P. Detection of transforming growth factor α in normal, malignant, and hyperproliferative human keratinocytes. 670.

Graninger, W. B., Goldman, P. L., Morton, C. C., O'Brian, S. J., and Korsmeyer, S. J. The κ-deleting element.Germline and rearranged, duplicated and dispersed forms. 488.

Gray, D. Population kinetics of rat peripheral B cells. 805.

Gray, L. S., Gnarra, J., Hewlett, E. L., and Engelhard, V. H. Increased intracellular cyclic adenosine monophosphate inhibits T lymphocyte-mediated cytolysis by two distinct mechanisms. 1963.

Graziani, M. *See* Triebel, Faure, Graziani, Jitsukawa, Lefranc, and Hercend.

Green, A. M. *See* Telen, Hall, Green, Moulds, and Rosse.

Green, W. R., Rich, R. F., and Beadling, C. Differential induction of H-2K versus H-2D class I major histocompatibility antigens by recombinant γ interferon. Lack of K^k augmentation in a leukemia virus-induced tumor is due to a *cis*-dominant effect. 1616.

Gregory, C. D., Murray, R. J., Edwards, C. F., and Rickinson, A. B. Downregulation of cell adhesion molecules LFA-3 and ICAM-1 in Epstein-Barr virus-positive Burkitt's lymphoma underlies tumor cell escape from virus-specific T cell surveillance. 1811.

Griffen, G. L. *See* Pierce, Mustoe, Senior, Reed, Griffen, Thomason, and Deuel.

Griffin, G. L. *See* Banda, Rice, Griffin, and Senior.

Griffith, I. J., Nabavi, N., Ghogawala, Z., Chase, C. G., Rodriguez, M., McKean, D. J., and Glimcher, L. H. Structural mutation affecting intracellular transport and cell surface expression of murine class II molecules. 541.

Guardiola, J. *See* Koch, Candeias, Guardiola, Accolla, Benoist, and Mathis.

Guillot, O. *See* Bonnefoy, Guillot, Spits, Blanchard, Ishizaka, and Banchereau.

H

Hadley, T. J. *See* Haynes, Dalton, Klotz, McGinniss, Hadley, Hudson, and Miller.

Hafler, D. A., Duby, A. D., Lee, S. J., Benjamin, D., Seidman, J. G., and Weiner, H. L. Oligoclonal T lymphocytes in the cerebrospinal fluid of patients with multiple sclerosis. 1313.

— *See* Borst, van Dongen, Bolhuis, Peters, Hafler, de Vries, and van de Griend.

Hakomori, S.-I. *See* Adachi, Hayami, Kashiwagi, Mizuta, Ohta, Gill, Matheson, Tamaoki, Shiozawa, and Hakomori.

Hall, G. L. *See* Singer, Scott, Hall, Limjuco, Chin, and Schmidt.

Hall, S. E. *See* Telen, Hall, Green, Moulds, and Rosse.

Hankins, D. F. *See* Austyn, Kupiec-Weglinski, Hankins, and Morris.

Happ, M. P., and Heber-Katz, E. Differences in the repertoire of the Lewis rat T cell response to self and non-self myelin basic proteins. 502.

Haqqi, T. M. *See* Banerjee, Haqqi, Luthra, Stuart, and David.

Harada, N. *See* Yamaguchi, Suda, Suda, Eguchi, Miura, Harada, Tominaga, and Takatsu.

Harris, A. W., Pinkert, C. A., Crawford, M., Langdon, W. Y., Brinster, R. L., and Adams, J. M. The Eu-*myc* transgenic mouse. A model for high-incidence spontaneous lymphoma and leukemia of early B cells. 353.

Hartley, J. W. *See* Staal and Hartley.

Hattori, M. *See* Minato, Hattori, Sudo, Kano, Miura, Suda, and Suda.

Havell, E. A., Fiers, W., and North, R. J. The antitumor function of tumor necrosis factor (TNF). I. Therapeutic action of TNF against an established murine sarcoma is indirect, immunologically dependent, and limited by severe toxicity. 1067.

— *See* North and Havell.

Hawkins, P. N., Myers, M. J., Epenetos, A. A., Caspi, D., and Pepys, M. B. Specific localization and imaging of amyloid deposits in vivo using ^{123}I-labeled serum amyloid P component. 903.

Hayami, M. *See* Adachi, Hayami, Kashiwagi, Mizuta, Ohta, Gill, Matheson, Tamaoki, Shiozawa, and Hakomori.

Hayashi, Y. *See* Yamaguchi, Hayashi, Sugama, Miura, Kasahara, Kitamura, Torisu, Mita, Tominaga, Takatsu, and Suda.

Haynes, J. D., Dalton, J. P., Klotz, F. W., McGinniss, M. H., Hadley, T. J., Hudson, D. E., and Miller, L. H. Receptor-like specificity of a *Plasmodium knowlesi* malarial protein that binds to Duffy antigen ligands on erythrocytes. 1873.

Heber-Katz, E., Valentine, S., Dietzschold, B., and Burns-Purzycki, C. Overlapping T cell antigenic sites on a synthetic peptide fragment from herpes

simplex virus glycoprotein D, the degenerate MHC restriction elicited, and functional evidence for antigen–Ia interaction. 275.
— *See* Happ and Heber-Katz.
Heimfeld, S. *See* Spangrude, Müller-Sieburg, Heimfeld, and Weissman.
Helfgott, D. C. *See* Sehgal, Helfgott, Santhanam, Tatter, Clarick, Ghrayeb, and May.
Hengartner, H. *See* MacDonald, Pedrazzini, Schneider, Louis, Zinkernagel, and Hengartner.
Herberman, R. B. *See* Vujanovic, Herberman, Maghazachi, and Hiserodt.
Hercend, T. *See* Triebel, Faure, Graziani, Jitsukawa, Lefranc, and Hercend.
Herman, G. A. *See* Ezekowitz, Day, and Herman.
Hermsen, K. *See* Davatelis, Wolpe, Luedke, Tekamp-Olson, Merryweather, Hermsen, Gallegos, Coit, and Cerami.
Hesse, D. G. *See* Tracey, Wei, Manogue, Fong, Hesse, Nguyen, Kuo, Beutler, Cotran, Cerami, and Lowry.
— *See* Wolpe, Davatelis, Sherry, Beutler, Hesse, Nguyen, Moldawer, Nathan, Lowry, and Cerami.
Heufler, C., Koch, F., and Schuler, G. Granulocyte/macrophage colony-stimulating factor and interleukin 1 mediate the maturation of murine epidermal Langerhans cells into potent immunostimulatory dendritic cells. 700.
Hewlett, E. L. *See* Gray, Gnarra, Hewlett, and Engelhard.
Heyman, B., Pilström, L., and Shulman, M. J. Complement activation is required for IgM-mediated enhancement of the antibody response. 1999.
Hinrichs, D. J. *See* Portnoy, Jacks, and Hinrichs.
Hirano, T. *See* Lotz, Jirik, Kabouridis, Tsoukas, Hirano, Kishimoto, and Carson.
— *See* Muraguchi, Hirano, Tang, Matsuda, Horii, Nakajima, and Kishimoto.
Hirschhorn, R. *See* Rose, Hirschhorn, Weissmann, and Cronstein.
Hiserodt, J. C. *See* Vujanovic, Herberman, Maghazachi, and Hiserodt.
Hockertz, S. *See* Baccarini, Hockertz, Kiderlen, and Lohmann-Matthes.
Hoffman, T. *See* Golding, Robey, Gates, Linder, Beining, Hoffman, and Golding.
Holt, P. G., Schon-Hegrad, M. A., and Oliver, J. MHC class II antigen-bearing dendritic cells in pulmonary tissues of the rat. Regulation of antigen presentation activity by endogenous macrophage populations. 262.
Hombach, J., Sablitzky, F., Rajewsky, K., and Reth, M. Transfected plasmacytoma cells do not transport the membrane form of IgM to the cell surface. 652.
Hong, K. S. *See* Andrews, Robbins, Ley, Hong, and Nussenzweig.
Horii, Y. *See* Muraguchi, Hirano, Tang, Matsuda, Horii, Nakajima, and Kishimoto.
Horton, J. R. *See* Dallo, Su, Horton, and Baseman.
Houghton, A. N., Albino, A. P., Cordon-Cardo, C., Davis, L. J., and Eisinger, M. Cell surface antigens of human melanocytes and melanoma. Expression of adenosine deaminase binding protein is extinguished with melanocyte transformation. 197.
Hudson, D. E. *See* Haynes, Dalton, Klotz, McGinniss, Hadley, Hudson, and Miller.
Humphries, E. H. *See* Barth and Humphries.

I

Iannini, M. J. *See* Ferguson, Verret, Reilly, Iannini, and Eisen.
Ikehara, S. *See* Oyaizu, Yasumizu, Miyama-Inaba, Nomura, Yoshida, Miyawaki, Shibata, Mitsuoka, Yasunaga, Morii, Good, and Ikehara.
Inaba, K., Witmer-Pack, M. D., Inaba, M., Muramatsu, S., and Steinman, R. M. The function of Ia^+ dendritic cells and Ia^- dendritic cell precursors in thymocyte mitogenesis to lectin and lectin plus interleukin 1. 149.
Inaba, M. *See* Inaba, Witmer-Pack, Inaba, Muramatsu, and Steinman.
Irlé, C., Jaques, D., Tiercy, J.-M., Fuggle, S. V., Gorski, J., Termijtelen, A., Jeannet, M., and Mach, B. Functional polymorphism of each of the two HLA-DR β chain loci demonstrated with antigen-specific DR3- and DRw52-restricted T cell clones. 853.
Isaaz, S. *See* Seckinger, Isaaz, and Dayer.
Isenberg, D. *See* Parekh, Roitt, Isenberg, Dwek, and Rademacher.
Ishizaka, K. *See* Bonnefoy, Guillot, Spits, Blanchard, Ishizaka, and Banchereau.

J

Jabara, H. H. *See* Vercelli, Jabara, Lee, Woodland, Geha, and Leung.
Jacks, P. S. *See* Portnoy, Jacks, and Hinrichs.
Jaques, D. *See* Irlé, Jaques, Tiercy, Fuggle, Gorski, Termijtelen, Jeannet, and Mach.
Jeannet, M. *See* Irlé, Jaques, Tiercy, Fuggle, Gorski, Termijtelen, Jeannet, and Mach.
Jirik, F. *See* Lotz, Jirik, Kabouridis, Tsoukas, Hirano, Kishimoto, and Carson.
Jitsukawa, S. *See* Triebel, Faure, Graziani, Jitsukawa, Lefranc, and Hercend.
Joiner, K. A. *See* Puentes, Sacks, da Silva, and Joiner.
Jones, K. F., and Fischetti, V. A. The importance of the location of antibody binding on the M6 protein for opsonization and phagocytosis of group A M6 streptococci. 1114.
Jupin, C., Anderson, S., Damais, C., Alouf, J. E., and Parant, M. Toxic shock syndrome toxin 1 as an inducer of human tumor necrosis factors and γ interferon. 752.

K

Kabouridis, P. *See* Lotz, Jirik, Kabouridis, Tsoukas, Hirano, Kishimoto, and Carson.

Kaltmann, B. *See* Lucius, Schulz-Key, Büttner, Kern, Kaltmann, Prod'hon, Seeber, Walter, Saxena, and Diesfeld.

Kam-Hansen, S. *See* Leist, Frei, Kam-Hansen, Zinkernagel, and Fontana.

Kano, S. *See* Minato, Hattori, Sudo, Kano, Miura, Suda, and Suda.

Kao, H. T. *See* Sung, Bjorndahl, Wang, Kao, and Fu.

Kappas, A. *See* Sisson, Drummond, Samonte, Calabia, and Kappas.

Karasuyama, H., Rolink, A., and Melchers, F. Recombinant interleukin 2 or 5, but not 3 or 4, induces maturation of resting mouse B lymphocytes and propagates proliferation of activated B cell blasts. 1377.

Kärre, K. *See* Ljunggren, Yamasaki, Collins, Klein, and Kärre.

Kasahara, T. *See* Yamaguchi, Hayashi, Sugama, Miura, Kasahara, Kitamura, Torisu, Mita, Tominaga, Takatsu, and Suda.

Kashiwagi, N. *See* Adachi, Hayami, Kashiwagi, Mizuta, Ohta, Gill, Matheson, Tamaoki, Shiozawa, and Hakomori.

Kasturi, K. *See* Painter, Monestier, Chew, Bona-Dimitriu, Kasturi, Bailey, Scott, Sidman, and Bona.

Katagiri, T., Cohen, P. L., and Eisenberg, R. A. The *lpr* gene causes an intrinsic T cell abnormality that is required for hyperproliferation. 741.

Katz, Y., Cole, F. S., and Strunk, R. C. Synergism between γ interferon and lipopolysaccharide for synthesis of factor B, but not C2, in human fibroblasts. 1.

Katzman, P. J. *See* Carroll, Alicot, Katzman, Klickstein, Smith, and Fearon.

Kern, A. *See* Lucius, Schulz-Key, Büttner, Kern, Kaltmann, Prod'hon, Seeber, Walter, Saxena, and Diesfeld.

Keusch, G. T. *See* Ward, Alroy, Lev, Keusch, and Pereira.

Kiderlen, A. F. *See* Baccarini, Hockertz, Kiderlen, and Lohmann-Matthes.

Kimpton, W. G. *See* Mackay, Kimpton, Brandon, and Cahill.

King, G. L. *See* Nayak, Berman, George, Eisenbarth, and King.

Kipps, T. J., Tomhave, E., Chen, P. P., and Carson, D. A. Autoantibody-associated κ light chain variable region gene expressed in chronic lymphocytic leukemia with little or no somatic mutation. Implications for etiology and immunotherapy. 840.

Kishimoto, T. K. *See* Corbi, Larson, Kishimoto, Springer, and Morton.

Kishimoto, T. *See* Lotz, Jirik, Kabouridis, Tsoukas, Hirano, Kishimoto, and Carson.

— *See* Muraguchi, Hirano, Tang, Matsuda, Horii, Nakajima, and Kishimoto.

Kitamura, S. *See* Yamaguchi, Hayashi, Sugama, Miura, Kasahara, Kitamura, Torisu, Mita, Tominaga, Takatsu, and Suda.

Klebanoff, S. J. *See* Neill and Klebanoff.

Klein, C. E., Özer, H. L., Traganos, F., Atzpodien, J., Oettgen, H. F., and Old, L. J. A transformation-associated 130-kD cell surface glycoprotein is growth controlled in normal human cells. 1684.

Klein, G. *See* Ljunggren, Yamasaki, Collins, Klein, and Kärre.

Kleniewski, J., and Donaldson, V. Granulocyte elastase cleaves human high molecular weight kininogen and destroys its clot-promoting activity. 1895.

Klickstein, L. B. *See* Carroll, Alicot, Katzman, Klickstein, Smith, and Fearon.

Klotz, F. W. *See* Haynes, Dalton, Klotz, McGinniss, Hadley, Hudson, and Miller.

Kobayashi, Y. *See* Matsushima, Morishita, Yoshimura, Lavu, Kobayashi, Lew, Appella, Kung, Leonard, and Oppenheim.

Koch, F. *See* Heufler, Koch, and Schuler.

Koch, W., Candeias, S., Guardiola, J., Accolla, R., Benoist, C., and Mathis, D. An enhancer factor defect in a mutant Burkitt lymphoma cell line. 1781.

Koeffler, H. P. *See* Lübbert, Miller, Crawford, and Koeffler.

Kojima, M., Cease, K. B., Buckenmeyer, G. K., and Berzofsky, J. A. Limiting dilution comparison of the repertoires of high and low responder MHC-restricted T cells. 1100.

Koning, F., Kruisbeek, A. M., Maloy, W. L., Marušic-Galešic, S., Pardoll, D. M., Shevach, E. M., Stingl, G., Valas, R., Yokoyama, W. M., and Coligan, J. E. T cell receptor γ/δ chain diversity. 676.

Korngold, R. *See* Sprent, Schaefer, Gao, and Korngold.

Korsmeyer, S. J. *See* Graninger, Goldman, Morton, O'Brian, and Korsmeyer.

Koszinowski, U. H. *See* Mutter, Reddehase, Busch, Bühring, and Koszinowski.

Kotzin, B. L. *See* Santoro, Portanova, and Kotzin.

Krensky, A. M. *See* Seong, Clayberger, Krensky, and Parnes.

Krohn, K. *See* Lusso, Markham, Tschachler, di Marzo Veronese, Salahuddin, Ablashi, Pahwa, Krohn, and Gallo.

Kruisbeek, A. M. *See* Koning, Kruisbeek, Maloy, Marušic-Galešic, Pardoll, Shevach, Stingl, Valas, Yokoyama, and Coligan.

Kung, H. F. *See* Matsushima, Morishita, Yoshimura, Lavu, Kobayashi, Lew, Appella, Kung, Leonard, and Oppenheim.

Kuo, G. C. *See* Tracey, Wei, Manogue, Fong, Hesse, Nguyen, Kuo, Beutler, Cotran, Cerami, and Lowry.

Kupiec-Weglinski, J. W., Austyn, J. M., and Morris, P. J. Migration patterns of dendritic cells in the mouse. Traffic from the blood, and T cell–dependent and –independent entry to lymphoid tissues. 632.

— *See* Austyn, Kupiec-Weglinski, Hankins, and Morris.

— *See* Di Stefano, Mouzaki, Araneda, Diamantstein, Tilney, and Kupiec-Weglinski.

L

Lagarde, A.-C. *See* Georgiou, Lagarde, and Bellgrau.

Lal, A. A. *See* Adam, Aggarwal, Lal, de la Cruz, McCutchan, and Nash.

Lane, H. C. *See* Gendelman, Orenstein, Martin, Ferrua, Mitra, Phipps, Wahl, Lane, Fauci, Burke, Skillman, and Meltzer.

Langdon, W. Y. *See* Harris, Pinkert, Crawford, Langdon, Brinster, and Adams.

Lanier, L. L., Buck, D. W., Rhodes, L., Ding, A., Evans, E., Barney, C., and Phillips, J. H. Interleukin 2 activation of natural killer cells rapidly induces the expression and phosphorylation of the Leu-23 activation antigen. 1572.

Lanzavecchia, A., Abrignani, S., Scheidegger, D., Obrist, R., Dörken, B., and Moldenhauer, G. Antibodies as antigens. The use of mouse monoclonal antibodies to focus human T cells against selected targets. 345.

Lapierre, L. A., Fiers, W., and Pober, J. S. Three distinct classes of regulatory cytokines control endothelial cell MHC antigen expression. Interactions with immune γ interferon differentiate the effects of tumor necrosis factor and lymphotoxin from those of leukocyte α and fibroblast β interferons. 794.

Larson, R. S. *See* Corbi, Larson, Kishimoto, Springer, and Morton.

Lavenier, I. *See* Baer, Forster, Lavenier, and Rabbitts.

Lavu, S. *See* Matsushima, Morishita, Yoshimura, Lavu, Kobayashi, Lew, Appella, Kung, Leonard, and Oppenheim.

Law, D. A. *See* Clark, Law, Paterson, Puklavec, and Williams.

LeBoeuf, R. C. *See* Seldin, Morse, Reeves, Scribner, LeBoeuf, and Steinberg.

Leder, P. *See* Nussenzweig, Shaw, Sinn, Campos-Torres, and Leder.

Lee, B.-W. *See* Vercelli, Jabara, Lee, Woodland, Geha, and Leung.

Lee, N. E. *See* Zamvil, Mitchell, Lee, Moore, Waldor, Sakai, Rothbard, McDevitt, Steinman, and Acha-Orbea.

Lee, S. J. *See* Hafler, Duby, Lee, Benjamin, Seidman, and Weiner.

Lefranc, M.-P. *See* Triebel, Faure, Graziani, Jitsukawa, Lefranc, and Hercend.

Lefrancois, L. *See* Conzelmann and Lefrancois.

Leist, T. P., Frei, K., Kam-Hansen, S., Zinkernagel, R. M., and Fontana, A. Tumor necrosis factor α in cerebrospinal fluid during bacterial, but not viral meningitis. Evaluation in murine model infections and in patients. 1743.

—, Rüedi, E., and Zinkernagel, R. M. Virus-triggered immune suppression in mice caused by virus-specific cytotoxic T cells. 1749.

Leonard, E. J. *See* Matsushima, Morishita, Yoshimura, Lavu, Kobayashi, Lew, Appella, Kung, Leonard, and Oppenheim.

Leonard, W. J. *See* Sharon, Siegel, Tosato, Yodoi, Gerrard, and Leonard.

Leung, D. Y. M. *See* Vercelli, Jabara, Lee, Woodland, Geha, and Leung.

Leung, P. *See* van de Water, Gershwin, Leung, Ansari, and Coppel.

Lev, B. I. *See* Ward, Alroy, Lev, Keusch, and Pereira.

Levy, R. *See* Cleary, Galili, Trela, Levy, and Sklar.

Lew, W. *See* Matsushima, Morishita, Yoshimura, Lavu, Kobayashi, Lew, Appella, Kung, Leonard, and Oppenheim.

Ley, V. *See* Andrews, Robbins, Ley, Hong, and Nussenzweig.

Li, E., Becker, A., and Stanley, S. L., Jr. Use of Chinese hamster ovary cells with altered glycosylation patterns to define the carbohydrate specificity of *Entamoeba histolytica* adhesion. 1725.

Liano, D. *See* Boom, Liano, and Abbas.

Limjuco, G. *See* Singer, Scott, Hall, Limjuco, Chin, and Schmidt.

Linder, W. *See* Golding, Robey, Gates, Linder, Beining, Hoffman, and Golding.

Ljunggren, H.-G., Yamasaki, T., Collins, P., Klein, G., and Kärre, K. Selective acceptance of MHC class I–deficient tumor grafts in the brain. 730.

Lobe, C. G. *See* Mueller, Gershenfeld, Lobe, Okada, Bleackley, and Weissman.

Lock, C. B. *See* Wilkinson, de Vries, Madrigal, Lock, Morgenstern, Trowsdale, and Altmann.

Lohmann-Matthes, M.-L. *See* Baccarini, Hockertz, Kiderlen, and Lohmann-Matthes.

Lopez, A. F., Sanderson, C. J., Gamble, J. R., Campbell, H. D., Young, I. G., and Vadas, M. A. Recombinant human interleukin 5 is a selective activator of human eosinophil function. 219.

Lotz, M., Jirik, F., Kabouridis, P., Tsoukas, C., Hirano, T., Kishimoto, T., and Carson, D. A. B cell stimulating factor 2/interleukin 6 is a costimulant for human thymocytes and T lymphocytes. 1253.

Louis, J. A. *See* MacDonald, Pedrazzini, Schneider, Louis, Zinkernagel, and Hengartner.

Lowell, G. H., Smith, L. F., Seid, R. C., and Zollinger, W. D. Peptides bound to proteosomes via hydrophobic feet become highly immunogenic without adjuvants. 658.

Lowry, S. F. *See* Tracey, Wei, Manogue, Fong, Hesse, Nguyen, Kuo, Beutler, Cotran, Cerami, and Lowry.

— *See* Wolpe, Davatelis, Sherry, Beutler, Hesse, Nguyen, Moldawer, Nathan, Lowry, and Cerami.

Lübbert, M., Miller, C. W., Crawford, L., and Koeffler, H. P. p53 in chronic myelogenous leukemia. Study of mechanisms of differential expression. 873.

Lucius, R., Schulz-Key, H., Büttner, D. W., Kern, A., Kaltmann, B., Prod'hon, J., Seeber, F., Walter, R. D., Saxena, K. C., and Diesfeld, H.-J. Characterization of an immunodominant *Onchocerca volvulus* antigen with patient sera and a monoclonal antibody. 1505.

Luedke, C. *See* Davatelis, Wolpe, Luedke, Tekamp-Olson, Merryweather, Hermsen, Gallegos, Coit, and Cerami.

Lusso, P., Markham, P. D., Tschachler, E., di Marzo Veronese, F., Salahuddin, S. Z., Ablashi, D. V., Pahwa, S., Krohn, K., and Gallo, R. C. In vitro cellular tropism of human B-lymphotropic virus (human herpesvirus-6). 1659.

Luster, A. D. *See* Weinshank, Luster, and Ravetch.

Luthra, H. S. *See* Banerjee, Haqqi, Luthra, Stuart, and David.

Lyon, J. A. *See* Szarfman, Walliker, McBride, Lyon, Quakyi, and Carter.

M

MacDonald, H. R., Pedrazzini, T., Schneider, R., Louis, J. A., Zinkernagel, R. M., and Hengartner, H. Intrathymic elimination of Mls^a-reactive ($V_{\beta 6}^+$) cells during neonatal tolerance induction to MLs^a-encoded antigens. 2005.

MacDonald, T. T., and Spencer, J. Evidence that activated mucosal T cells play a role in the pathogenesis of enteropathy in human small intestine. 1341.

Mach, B. *See* Irlé, Jaques, Tiercy, Fuggle, Gorski, Termijtelen, Jeannet, and Mach.

Mackay, C. R., Kimpton, W. G., Brandon, M. R., and Cahill, R. N. P. Lymphocyte subsets show marked differences in their distribution between blood and the afferent and efferent lymph of peripheral lymph nodes. 1755.

Madrigal, J. A. *See* Wilkinson, de Vries, Madrigal, Lock, Morgenstern, Trowsdale, and Altmann.

Maghazachi, A. A. *See* Vujanovic, Herberman, Maghazachi, and Hiserodt.

Mak, T. W. *See* Ballhausen, Reske-Kunz, Tourvieille, Ohashi, Parnes, and Mak.

Maloy, W. L. *See* Koning, Kruisbeek, Maloy, Marušic-Galešic, Pardoll, Shevach, Stingl, Valas, Yokoyama, and Coligan.

Maly, F. E. *See* Dahinden, Zingg, Maly, and de Weck.

Manogue, K. R. *See* Tracey, Wei, Manogue, Fong, Hesse, Nguyen, Kuo, Beutler, Cotran, Cerami, and Lowry.

March, C. J. *See* Namen, Schmierer, March, Overell, Park, Urdal, and Mochizuki.

Markham, P. D. *See* Lusso, Markham, Tschachler, di Marzo Veronese, Salahuddin, Ablashi, Pahwa, Krohn, and Gallo.

Martin, M. A. *See* Gendelman, Orenstein, Martin, Ferrua, Mitra, Phipps, Wahl, Lane, Fauci, Burke, Skillman, and Meltzer.

Martin, W. J. *See* Shibata, Arnheim, and Martin.

Martinez, D. *See* Socher, Friedman, and Martinez.

Marušic-Galešic, S. *See* Koning, Kruisbeek, Maloy, Marušic-Galešic, Pardoll, Shevach, Stingl, Valas, Yokoyama, and Coligan.

Maryanski, J. L., Pala, P., Cerottini, J.-C., and Corradin, G. Synthetic peptides as antigens and competitors in recognition by H-2-restricted cytolytic T cells specific for HLA. 1391.

Matheson, D. S. *See* Adachi, Hayami, Kashiwagi, Mizuta, Ohta, Gill, Matheson, Tamaoki, Shiozawa, and Hakomori.

Mathis, D. *See* Koch, Candeias, Guardiola, Accolla, Benoist, and Mathis.

Matsuda, T. *See* Muraguchi, Hirano, Tang, Matsuda, Horii, Nakajima, and Kishimoto.

Matsushima, K., Morishita, K., Yoshimura, T., Lavu, S., Kobayashi, Y., Lew, W., Appella, E., Kung, H. F., Leonard, E. J., and Oppenheim, J. J. Molecular cloning of a human monocyte-derived neutrophil chemotactic factor (MDNCF) and the induction of MDNCF mRNA by interleukin 1 and tumor necrosis factor. 1883.

— *See* Akahoshi, Oppenheim, and Matsushima.

Maudsley, D. J., and Morris, A. G. Kirsten murine sarcoma virus abolishes interferon γ-induced class II but not class I major histocompatibility antigen expression in a murine fibroblast line. 706.

May, L. T. *See* Sehgal, Helfgott, Santhanam, Tatter, Clarick, Ghrayeb, and May.

McBride, J. S. *See* Szarfman, Walliker, McBride, Lyon, Quakyi, and Carter.

McCaffrey, T. A., Nicholson, A. C., Szabo, P. E., Weksler, M. E., and Weksler, B. B. Aging and arteriosclerosis.The increased proliferation of arterial smooth muscle cells isolated from old rats is associated with increased platelet-derived growth factor–like activity. 163.

McCutchan, T. *See* Adam, Aggarwal, Lal, de la Cruz, McCutchan, and Nash.

McDevitt, H. O. *See* Zamvil, Mitchell, Lee, Moore, Waldor, Sakai, Rothbard, McDevitt, Steinman, and Acha-Orbea.

McElrath, M. J., Murray, H. W., and Cohn, Z. A. The dynamics of granuloma formation in experimental visceral leishmaniasis. 1927.

McGinniss, M. H. *See* Haynes, Dalton, Klotz, McGinniss, Hadley, Hudson, and Miller.

McInnes, A., and Rennick, D. M. Interleukin 4 induces cultured monocytes/macrophages to form giant multinucleated cells. 598.

McKean, D. J. *See* Buerstedde, Pease, Bell, Nilson, Buerstedde, Murphy, and McKean.

— *See* Griffith, Nabavi, Ghogawala, Chase, Rodriguez, McKean, and Glimcher.

McMaster, W. R. *See* Button and McMaster.

Melchers, F. *See* Karasuyama, Rolink, and Melchers.

Mellentin, J. D. *See* Cleary, Mellentin, Spies, and Smith.

Meltzer, M. S. *See* Gendelman, Orenstein, Martin, Ferrua, Mitra, Phipps, Wahl, Lane, Fauci, Burke, Skillman, and Meltzer.

Merryweather, J. *See* Davatelis, Wolpe, Luedke, Tekamp-Olson, Merryweather, Hermsen, Gallegos, Coit, and Cerami.

Metzger, D. W. *See* Van Cleave, Naeve, and Metzger.

Michaud, L. *See* Clayman, Sun, Michaud, Brill-Dashoff, Riblet, and Neilson.

Michl, J. *See* Pytowski, Easton, Valinsky, Calderon, Sun, Christman, Wright, and Michl.

Migone, N. *See* Ciccone, Viale, Bottino, Pende, Migone, Casorati, Tambussi, Moretta, and Moretta.

Miller, B. J. *See* Wicker, Miller, Chai, Terada, and Mullen.

Miller, C. W. *See* Lübbert, Miller, Crawford, and Koeffler.

Miller, L. H. *See* Haynes, Dalton, Klotz, McGinniss, Hadley, Hudson, and Miller.

Minato, N., Hattori, M., Sudo, T., Kano, S., Miura, Y., Suda, J., and Suda, T. Differentiation in vitro of $T3^+$ large granular lymphocytes with characteristic cytotoxic activity from an isolated hematopoietic progenitor colony. 762.

Mita, S. *See* Yamaguchi, Hayashi, Sugama, Miura, Kasahara, Kitamura, Torisu, Mita, Tominaga, Takatsu, and Suda.
Mitchell, D. J. *See* Zamvil, Mitchell, Lee, Moore, Waldor, Sakai, Rothbard, McDevitt, Steinman, and Acha-Orbea.
Mitra, R. *See* Gendelman, Orenstein, Martin, Ferrua, Mitra, Phipps, Wahl, Lane, Fauci, Burke, Skillman, and Meltzer.
Mitsuoka, S. *See* Oyaizu, Yasumizu, Miyama-Inaba, Nomura, Yoshida, Miyawaki, Shibata, Mitsuoka, Yasunaga, Morii, Good, and Ikehara.
Miura, Y. *See* Minato, Hattori, Sudo, Kano, Miura, Suda, and Suda.
— *See* Yamaguchi, Hayashi, Sugama, Miura, Kasahara, Kitamura, Torisu, Mita, Tominaga, Takatsu, and Suda.
— *See* Yamaguchi, Suda, Suda, Eguchi, Miura, Harada, Tominaga, and Takatsu.
Miyama-Inaba, M. *See* Oyaizu, Yasumizu, Miyama-Inaba, Nomura, Yoshida, Miyawaki, Shibata, Mitsuoka, Yasunaga, Morii, Good, and Ikehara.
Miyawaki, S. *See* Oyaizu, Yasumizu, Miyama-Inaba, Nomura, Yoshida, Miyawaki, Shibata, Mitsuoka, Yasunaga, Morii, Good, and Ikehara.
Mizuta, T. *See* Adachi, Hayami, Kashiwagi, Mizuta, Ohta, Gill, Matheson, Tamaoki, Shiozawa, and Hakomori.
Mochizuki, D. Y. *See* Namen, Schmierer, March, Overell, Park, Urdal, and Mochizuki.
Moldawer, L. T. *See* Wolpe, Davatelis, Sherry, Beutler, Hesse, Nguyen, Moldawer, Nathan, Lowry, and Cerami.
Moldenhauer, G. *See* Lanzavecchia, Abrignani, Scheidegger, Obrist, Dörken, and Moldenhauer.
Monestier, M. *See* Painter, Monestier, Chew, Bona-Dimitriu, Kasturi, Bailey, Scott, Sidman, and Bona.
Moore, A. C. *See* Zamvil, Mitchell, Lee, Moore, Waldor, Sakai, Rothbard, McDevitt, Steinman, and Acha-Orbea.
Moore, M. W. *See* Carbone, Moore, Sheil, and Bevan.
Moretta, A. *See* Ciccone, Viale, Bottino, Pende, Migone, Casorati, Tambussi, Moretta, and Moretta.
Moretta, L. *See* Ciccone, Viale, Bottino, Pende, Migone, Casorati, Tambussi, Moretta, and Moretta.
Morgenstern, J. P. *See* Wilkinson, de Vries, Madrigal, Lock, Morgenstern, Trowsdale, and Altmann.
Morii, S. *See* Oyaizu, Yasumizu, Miyama-Inaba, Nomura, Yoshida, Miyawaki, Shibata, Mitsuoka, Yasunaga, Morii, Good, and Ikehara.
Morishita, K. *See* Matsushima, Morishita, Yoshimura, Lavu, Kobayashi, Lew, Appella, Kung, Leonard, and Oppenheim.
Morris, A. G. *See* Maudsley and Morris.
Morris, P. J. *See* Austyn, Kupiec-Weglinski, Hankins, and Morris.
— *See* Kupiec-Weglinski, Austyn, and Morris.
Morse, H. C., III *See* Seldin, Morse, Reeves, Scribner, LeBoeuf, and Steinberg.
Morton, C. C. *See* Corbi, Larson, Kishimoto, Springer, and Morton.
— *See* Graninger, Goldman, Morton, O'Brian, and Korsmeyer.
Moulds, J. J. *See* Telen, Hall, Green, Moulds, and Rosse.
Mouzaki, A. *See* Di Stefano, Mouzaki, Araneda, Diamantstein, Tilney, and Kupiec-Weglinski.
Mueller, C., Gershenfeld, H. K., Lobe, C. G., Okada, C. Y., Bleackley, C., and Weissman, I. L. A high proportion of T lymphocytes that infiltrate H-2-incompatible heart allografts in vivo express genes encoding cytotoxic cell-specific serine proteases, but do not express the MEL-14-defined lymph node homing receptor. 1124.
Mullen, Y. *See* Wicker, Miller, Chai, Terada, and Mullen.
Müller-Sieburg, C. E., Townsend, K., Weissman, I. L., and Rennick, D. Proliferation and differentiation of highly enriched mouse hematopoietic stem cells and progenitor cells in response to defined growth factors. 1825.
— *See* Spangrude, Müller-Sieburg, Heimfeld, and Weissman.
Mulliez, N. *See* Sahali, Mulliez, Chatelet, Dupuis, Ronco, and Verroust.
Muraguchi, A., Hirano, T., Tang, B., Matsuda, T., Horii, Y., Nakajima, K., and Kishimoto, T. The essential role of B cell stimulatory factor 2 (BSF-2/IL-6) for the terminal differentiation of B cells. 332.
Muramatsu, S. *See* Inaba, Witmer-Pack, Inaba, Muramatsu, and Steinman.
Murphy, D. *See* Buerstedde, Pease, Bell, Nilson, Buerstedde, Murphy, and McKean.
Murphy, J. R. *See* Bacha, Williams, Waters, Williams, Murphy, and Strom.
Murray, H. W. *See* McElrath, Murray, and Cohn.
— *See* Yoshida, Murray, and Nathan.
Murray, R. J. *See* Gregory, Murray, Edwards, and Rickinson.
Mustoe, T. A. *See* Pierce, Mustoe, Senior, Reed, Griffen, Thomason, and Deuel.
Mutter, W., Reddehase, M. J., Busch, F. W., Bühring, H.-J., and Koszinowski, U. H. Failure in generating hemopoietic stem cells is the primary cause of death from cytomegalovirus disease in the immunocompromised host. 1645.
Myers, M. J. *See* Hawkins, Myers, Epenetos, Caspi, and Pepys.

N

Nabavi, N. *See* Griffith, Nabavi, Ghogawala, Chase, Rodriguez, McKean, and Glimcher.
Naeve, C. W. *See* Van Cleave, Naeve, and Metzger.
Nakajima, K. *See* Muraguchi, Hirano, Tang, Matsuda, Horii, Nakajima, and Kishimoto.
Nakoinz, I. *See* Ralph, Nakoinz, and Rennick.
Namen, A. E., Schmierer, A. E., March, C. J., Overell, R. W., Park, L. S., Urdal, D. L., and Mochizuki, D. Y. B cell precursor growth-promoting activity. Purification and characterization of a growth factor active on lymphocyte precursors. 988.
Nash, T. E. *See* Adam, Aggarwal, Lal, de la Cruz, McCutchan, and Nash.

Nathan, C. F. *See* Wolpe, Davatelis, Sherry, Beutler, Hesse, Nguyen, Moldawer, Nathan, Lowry, and Cerami.
— *See* Yoshida, Murray, and Nathan.
Nathan, C. *See* Ding and Nathan.
Nayak, R. C., Berman, A. B., George, K. L., Eisenbarth, G. S., and King, G. L. A monoclonal antibody (3G5)-defined ganglioside antigen is expressed on the cell surface of microvascular pericytes. 1003.
Neill, M. A., and Klebanoff, S. J. The effect of phenolic glycolipid-1 from *Mycobacterium leprae* on the antimicrobial activity of human macrophages. 30.
Neilson, E. G. *See* Clayman, Sun, Michaud, Brill-Dashoff, Riblet, and Neilson.
Nguyen, H. T. *See* Tracey, Wei, Manogue, Fong, Hesse, Nguyen, Kuo, Beutler, Cotran, Cerami, and Lowry.
— *See* Wolpe, Davatelis, Sherry, Beutler, Hesse, Nguyen, Moldawer, Nathan, Lowry, and Cerami.
Nicholson, A. C. *See* McCaffrey, Nicholson, Szabo, Weksler, and Weksler.
Nilson, A. E. *See* Buerstedde, Pease, Bell, Nilson, Buerstedde, Murphy, and McKean.
Nomura, S. *See* Oyaizu, Yasumizu, Miyama-Inaba, Nomura, Yoshida, Miyawaki, Shibata, Mitsuoka, Yasunaga, Morii, Good, and Ikehara.
North, R. J., and Havell, E. A. The antitumor function of tumor necrosis factor (TNF). II. Analysis of the role of endogenous TNF in endotoxin-induced hemorrhagic necrosis and regression of an established sarcoma. 1086.
— *See* Havell, Fiers, and North.
Nussenzweig, M. C., Shaw, A. C., Sinn, E., Campos-Torres, J., and Leder, P. Allelic exclusi n in transgenic mice carrying mutant human IgM genes. 1969.
Nussenzweig, V. *See* Andrews, Robbins, Ley, Hong, and Nussenzweig.

O

O'Brian, S. J. *See* Graninger, Goldman, Morton, O'Brian, and Korsmeyer.
Obrist, R. *See* Lanzavecchia, Abrignani, Scheidegger, Obrist, Dörken, and Moldenhauer.
Odin, J. *See* Qu, Odin, Glass, and Unkeless.
Oettgen, H. F. *See* Klein, Ozer, Traganos, Atzpodien, Oettgen, and Old.
Ohashi, P. S. *See* Ballhausen, Reske-Kunz, Tourvieille, Ohashi, Parnes, and Mak.
Ohta, Y. *See* Adachi, Hayami, Kashiwagi, Mizuta, Ohta, Gill, Matheson, Tamaoki, Shiozawa, and Hakomori.
Okada, C. Y. *See* Mueller, Gershenfeld, Lobe, Okada, Bleackley, and Weissman.
Old, L. J. *See* Klein, Ozer, Traganos, Atzpodien, Oettgen, and Old.
Oldstone, M. B. A. *See* Ahmed and Oldstone.
Oliver, J. *See* Holt, Schon-Hegrad, and Oliver.
Opdenakker, G. *See* Van Damme, Van Beeumen, Opdenakker, and Billiau.
Oppenheim, J. J. *See* Akahoshi, Oppenheim, and Matsushima.
— *See* Matsushima, Morishita, Yoshimura, Lavu, Kobayashi, Lew, Appella, Kung, Leonard, and Oppenheim.
Orenstein, J. M. *See* Gendelman, Orenstein, Martin, Ferrua, Mitra, Phipps, Wahl, Lane, Fauci, Burke, Skillman, and Meltzer.
Ory, P. A. *See* Clarkson and Ory.
Overell, R. W. *See* Namen, Schmierer, March, Overell, Park, Urdal, and Mochizuki.
Oyaizu, N., Yasumizu, R., Miyama-Inaba, M., Nomura, S., Yoshida, H., Miyawaki, S., Shibata, Y., Mitsuoka, S., Yasunaga, K., Morii, S., Good, R. A., and Ikehara, S. (NSW × BXSB)F_1 mouse a new animal model of idiopathic thrombocytopenic purpura. 2017.
Ozer, H. L. *See* Klein, Ozer, Traganos, Atzpodien, Oettgen, and Old.

P

Pahwa, S. *See* Lusso, Markham, Tschachler, di Marzo Veronese, Salahuddin, Ablashi, Pahwa, Krohn, and Gallo.
Paige, C. J. *See* Wu and Paige.
Painter, C. J., Monestier, M., Chew, A., Bona-Dimitriu, A., Kasturi, K., Bailey, C., Scott, V. E., Sidman, C. L., and Bona, C. A. Specificities and V genes encoding monoclonal autoantibodies from viable motheaten mice. 1137.
Pala, P. *See* Maryanski, Pala, Cerottini, and Corradin.
Palladino, M. A., Jr. *See* Ranges, Zlotnik, Espevik, Dinarello, Cerami, and Palladino.
Parant, M. *See* Jupin, Anderson, Damais, Alouf, and Parant.
Pardoll, D. M. *See* Koning, Kruisbeek, Maloy, Marušic-Galešic, Pardoll, Shevach, Stingl, Valas, Yokoyama, and Coligan.
Parekh, R., Roitt, I., Isenberg, D., Dwek, R., and Rademacher, T. Age-related galactosylation of the *N*-linked oligosaccharides of human serum IgG. 1731.
Park, L. S. *See* Namen, Schmierer, March, Overell, Park, Urdal, and Mochizuki.
Parnes, J. R. *See* Ballhausen, Reske-Kunz, Tourvieille, Ohashi, Parnes, and Mak.
— *See* Seong, Clayberger, Krensky, and Parnes.
Paterson, D. J. *See* Clark, Law, Paterson, Puklavec, and Williams.
Paul, W. E. *See* Snapper, Finkelman, and Paul.
Pawelec, G., Fernandez, N., Brocker, T., Schneider, E. M., Festenstein, H., and Wernet, P. DY determinants, possibly associated with novel class II molecules, stimulate autoreactive $CD4^+$ T cells with suppressive activity. 243.
Pease, L. R. *See* Buerstedde, Pease, Bell, Nilson, Buerstedde, Murphy, and McKean.
Pedrazzini, T. *See* MacDonald, Pedrazzini, Schneider, Louis, Zinkernagel, and Hengartner.
Pende, D. *See* Ciccone, Viale, Bottino, Pende, Migone, Casorati, Tambussi, Moretta, and Moretta.

Pepys, M. B. *See* Hawkins, Myers, Epenetos, Caspi, and Pepys.
Pereira, M. E. A. *See* Ward, Alroy, Lev, Keusch, and Pereira.
Perussia, B. *See* Anegón, Cuturi, Trinchieri, and Perussia.
Peters, P. J. *See* Borst, van Dongen, Bolhuis, Peters, Hafler, de Vries, and van de Griend.
Peveri, P., Walz, A., Dewald, B., and Baggiolini, M. A novel neutrophil-activating factor produced by human mononuclear phagocytes. 1547.
Phillips, J. H. *See* Lanier, Buck, Rhodes, Ding, Evans, Barney, and Phillips.
Phipps, T. *See* Gendelman, Orenstein, Martin, Ferrua, Mitra, Phipps, Wahl, Lane, Fauci, Burke, Skillman, and Meltzer.
Pierce, G. F., Mustoe, T. A., Senior, R. M., Reed, J., Griffen, G. L., Thomason, A., and Deuel, T. F. In vivo incisional wound healing augmented by platelet-derived growth factor and recombinant c-*sis* gene homodimeric proteins. 974.
Pilström, L. *See* Heyman, Pilström, and Shulman.
Pinkert, C. A. *See* Harris, Pinkert, Crawford, Langdon, Brinster, and Adams.
Plozza, T. M. *See* Chua, Stewart, Thomas, Simpson, Dilworth, Plozza, and Turner.
Pober, J. S. *See* Lapierre, Fiers, and Pober.
Pollock, R. R. *See* Chien, Pollock, Desaymard, and Scharff.
Portanova, J. P. *See* Santoro, Portanova, and Kotzin.
Portis, J. L. *See* Buller, Sitbon, and Portis.
Portnoy, D. A., Jacks, P. S., and Hinrichs, D. J. Role of hemolysin for the intracellular growth of *Listeria monocytogenes*. 1459.
Posnett, D. N. *See* Gottlieb, Chang, Posnett, Fanelli, and Tam.
Prod'hon, J. *See* Lucius, Schulz-Key, Büttner, Kern, Kaltmann, Prod'hon, Seeber, Walter, Saxena, and Diesfeld.
Pruslin, F. H. *See* Rodman, Pruslin, Chauhan, To, and Winston.
Puentes, S. M., Sacks, D. L., da Silva, R. P., and Joiner, K. A. Complement binding by two developmental stages of *Leishmania major* promastigotes varying in expression of a surface lipophosphoglycan. 887.
Puklavec, M. *See* Clark, Law, Paterson, Puklavec, and Williams.
Pytowski, B., Easton, T. G., Valinsky, J. E., Calderon, T., Sun, T., Christman, J. K., Wright, S. D., and Michl, J. A monoclonal antibody to a human neutrophil-specific plasma membrane antigen. Effect of antibody on the C3bi-mediated adherence by neutrophils and expression of the antigen during myelopoiesis. 421.

Q

Qu, Z., Odin, J., Glass, J. D., and Unkeless, J. C. Expression and characterization of a truncated murine Fcγ receptor. 1195.
Quakyi, I. A. *See* Szarfman, Walliker, McBride, Lyon, Quakyi, and Carter.

R

Rabbitts, T. H. *See* Baer, Forster, Lavenier, and Rabbitts.
Rademacher, T. *See* Parekh, Roitt, Isenberg, Dwek, and Rademacher.
Rajewsky, K. *See* Hombach, Sablitzky, Rajewsky, and Reth.
Ralph, P., Nakoinz, I., and Rennick, D. Role of interleukin 2, interleukin 4, and α, β, and γ interferon in stimulating macrophage antibody-dependent tumoricidal activity. 712.
Ranges, G. E., Zlotnik, A., Espevik, T., Dinarello, C. A., Cerami, A., and Palladino, M. A., Jr. Tumor necrosis factor α/cachectin is a growth factor for thymocytes. Synergistic interactions with other cytokines. 1472.
Ravetch, J. V. *See* Weinshank, Luster, and Ravetch.
Reddehase, M. J. *See* Mutter, Reddehase, Busch, Bühring, and Koszinowski.
Reed, J. *See* Pierce, Mustoe, Senior, Reed, Griffen, Thomason, and Deuel.
Reeves, J. P. *See* Seldin, Morse, Reeves, Scribner, Le-Boeuf, and Steinberg.
Reilly, E. B. *See* Ferguson, Verret, Reilly, Iannini, and Eisen.
Rennick, D. M. *See* McInnes and Rennick.
Rennick, D. *See* Müller-Sieburg, Townsend, Weissman, and Rennick.
— *See* Ralph, Nakoinz, and Rennick.
Reske-Kunz, A. B. *See* Ballhausen, Reske-Kunz, Tourvieille, Ohashi, Parnes, and Mak.
Reth, M. *See* Hombach, Sablitzky, Rajewsky, and Reth.
Rey-Campos, J., Rubenstein, P., and Rodriguez de Cordoba, S. A physical map of the human regulator of complement activation gene cluster linking the complement genes *CR1, CR2, DAF,* and *C4BP.* 664.
Rhodes, L. *See* Lanier, Buck, Rhodes, Ding, Evans, Barney, and Phillips.
Riblet, R. *See* Clayman, Sun, Michaud, Brill-Dashoff, Riblet, and Neilson.
Rice, A. G. *See* Banda, Rice, Griffin, and Senior.
Rich, R. F. *See* Green, Rich, and Beadling.
Rickinson, A. B. *See* Gregory, Murray, Edwards, and Rickinson.
Robbins, E. S. *See* Andrews, Robbins, Ley, Hong, and Nussenzweig.
Robey, F. A. *See* Golding, Robey, Gates, Linder, Beining, Hoffman, and Golding.
Rodman, T. C., Pruslin, F. H., Chauhan, Y., To, S. E., and Winston, R. Protamine-reactive natural IgM antibodies in human sera. Characterization of the epitope demonstrates specificity of antigenic recognition; occurrence indicates obscurity of origin and function. 1228.
Rodriguez de Cordoba, S. *See* Rey-Campos, Rubenstein, and Rodriguez de Cordoba.
Rodriguez, M. *See* Griffith, Nabavi, Ghogawala, Chase, Rodriguez, McKean, and Glimcher.

Roitt, I. *See* Parekh, Roitt, Isenberg, Dwek, and Rademacher.
Rolink, A. *See* Karasuyama, Rolink, and Melchers.
Roncarolo, M. G., Yssel, H., Touraine, J.-L., Betuel, H., de Vries, J. E., and Spits, H. Autoreactive T cell clones specific for class I and class II HLA antigens isolated from a human chimera. 1523.
Ronco, P. *See* Sahali, Mulliez, Chatelet, Dupuis, Ronco, and Verroust.
Rose, F. R., Hirschhorn, R., Weissmann, G., and Cronstein, B. N. Adenosine promotes neutrophil chemotaxis. 1186.
Rosse, W. F. *See* Telen, Hall, Green, Moulds, and Rosse.
Rothbard, J. B. *See* Zamvil, Mitchell, Lee, Moore, Waldor, Sakai, Rothbard, McDevitt, Steinman, and Acha-Orbea.
Rubenstein, P. *See* Rey-Campos, Rubenstein, and Rodriguez de Cordoba.
Rüedi, E. *See* Leist, Rüedi, and Zinkernagel.
Russell-Jones, G. J. *See* de Aizpurua and Russell-Jones.

S

Sablitzky, F. *See* Hombach, Sablitzky, Rajewsky, and Reth.
Sacks, D. L. *See* Puentes, Sacks, da Silva, and Joiner.
Sahali, D., Mulliez, N., Chatelet, F., Dupuis, R., Ronco, P., and Verroust, P. Characterization of a 280-kD protein restricted to the coated pits of the renal brush border and the epithelial cells of the yolk sac. Teratogenic effect of the specific monoclonal antibodies. 213.
Sakaguchi, N. *See* Sakaguchi and Sakaguchi.
Sakaguchi, S., and Sakaguchi, N. Thymus and autoimmunity. Transplantation of the thymus from cyclosporin A–treated mice causes organ-specific autoimmune disease in athymic nude mice. 1479.
Sakai, K. *See* Zamvil, Mitchell, Lee, Moore, Waldor, Sakai, Rothbard, McDevitt, Steinman, and Acha-Orbea.
Salahuddin, S. Z. *See* Lusso, Markham, Tschachler, di Marzo Veronese, Salahuddin, Ablashi, Pahwa, Krohn, and Gallo.
Samonte, D. *See* Sisson, Drummond, Samonte, Calabia, and Kappas.
Sanderson, C. J. *See* Lopez, Sanderson, Gamble, Campbell, Young, and Vadas.
Santhanam, U. *See* Sehgal, Helfgott, Santhanam, Tatter, Clarick, Ghrayeb, and May.
Santoro, T. J., Portanova, J. P., and Kotzin, B. L. The contribution of L3T4$^+$ T cells to lymphoproliferation and antibody production in MRL-*lpr*/*lpr* mice. 1713.
Saxena, K. C. *See* Lucius, Schulz-Key, Büttner, Kern, Kaltmann, Prod'hon, Seeber, Walter, Saxena, and Diesfeld.
Schaefer, M. *See* Sprent, Schaefer, Gao, and Korngold.
Scharff, M. D. *See* Chien, Pollock, Desaymard, and Scharff.
Scheidegger, D. *See* Lanzavecchia, Abrignani, Scheidegger, Obrist, Dörken, and Moldenhauer.
Schmidt, J. A. *See* Singer, Scott, Hall, Limjuco, Chin, and Schmidt.
Schmierer, A. E. *See* Namen, Schmierer, March, Overell, Park, Urdal, and Mochizuki.
Schneider, E. M. *See* Pawelec, Fernandez, Brocker, Schneider, Festenstein, and Wernet.
Schneider, R. *See* MacDonald, Pedrazzini, Schneider, Louis, Zinkernagel, and Hengartner.
Schon-Hegrad, M. A. *See* Holt, Schon-Hegrad, and Oliver.
Schoolnik, G. K. *See* Stephens, Wagar, and Schoolnik.
Schrezenmeier, H. *See* Fleischer and Schrezenmeier.
Schuler, G. *See* Heufler, Koch, and Schuler.
Schulz-Key, H. *See* Lucius, Schulz-Key, Büttner, Kern, Kaltmann, Prod'hon, Seeber, Walter, Saxena, and Diesfeld.
Scott, S. *See* Singer, Scott, Hall, Limjuco, Chin, and Schmidt.
Scott, V. E. *See* Painter, Monestier, Chew, Bona-Dimitriu, Kasturi, Bailey, Scott, Sidman, and Bona.
Scribner, C. L. *See* Seldin, Morse, Reeves, Scribner, LeBoeuf, and Steinberg.
Seckinger, P., Isaaz, S., and Dayer, J.-M. A human inhibitor of tumor necrosis factor α. 1511.
Seeber, F. *See* Lucius, Schulz-Key, Büttner, Kern, Kaltmann, Prod'hon, Seeber, Walter, Saxena, and Diesfeld.
Seed, B. *See* Stamenkovic and Seed.
Sehgal, P. B., Helfgott, D. C., Santhanam, U., Tatter, S. B., Clarick, R. H., Ghrayeb, J., and May, L. T. Regulation of the acute phase and immune responses in viral disease.Enhanced expression of the β_2-interferon/hepatocyte-stimulating factor/interleukin 6 gene in virus-infected human fibroblasts. 1951.
Seid, R. C. *See* Lowell, Smith, Seid, and Zollinger.
Seidman, J. G. *See* Hafler, Duby, Lee, Benjamin, Seidman, and Weiner.
Seldin, M. F., Morse, H. C., III, Reeves, J. P., Scribner, C. L., LeBoeuf, R. C., and Steinberg, A. D. Genetic analysis of autoimmune *gld* mice.I. Identification of a restriction fragment length polymorphism closely linked to the *gld* mutation within a conserved linkage group. 688.
Senior, R. M. *See* Banda, Rice, Griffin, and Senior.
— *See* Pierce, Mustoe, Senior, Reed, Griffen, Thomason, and Deuel.
Seong, R. H., Clayberger, C. A., Krensky, A. M., and Parnes, J. R. Rescue of Daudi cell HLA expression by transfection of the mouse β_2-microglobulin gene. 288.
Sharon, M., Siegel, J. P., Tosato, G., Yodoi, J., Gerrard, T. L., and Leonard, W. J. The human interleukin 2 receptor β chain (p70). Direct identification, partial purification, and patterns of expression on peripheral blood mononuclear cells. 1265.
Shaw, A. C. *See* Nussenzweig, Shaw, Sinn, Campos-Torres, and Leder.
Sheil, J. M. *See* Carbone, Moore, Sheil, and Bevan.
Sherry, B. *See* Wolpe, Davatelis, Sherry, Beutler, Hesse, Nguyen, Moldawer, Nathan, Lowry, and Cerami.
Shevach, E. M. *See* Koning, Kruisbeek, Maloy, Marušic-Galešic, Pardoll, Shevach, Stingl, Valas, Yokoyama, and Coligan.

Shibata, D. K., Arnheim, N., and Martin, W. J. Detection of human papilloma virus in paraffin-embedded tissue using the polymerase chain reaction. 225.

Shibata, Y. *See* Oyaizu, Yasumizu, Miyama-Inaba, Nomura, Yoshida, Miyawaki, Shibata, Mitsuoka, Yasunaga, Morii, Good, and Ikehara.

Shiozawa, C. *See* Adachi, Hayami, Kashiwagi, Mizuta, Ohta, Gill, Matheson, Tamaoki, Shiozawa, and Hakomori.

Shulman, M. J. *See* Heyman, Pilström, and Shulman.

Sidman, C. L. *See* Painter, Monestier, Chew, Bona-Dimitriu, Kasturi, Bailey, Scott, Sidman, and Bona.

Siegel, J. P. *See* Sharon, Siegel, Tosato, Yodoi, Gerrard, and Leonard.

Simpson, R. J. *See* Chua, Stewart, Thomas, Simpson, Dilworth, Plozza, and Turner.

Singer, I. I., Scott, S., Hall, G. L., Limjuco, G., Chin, J., and Schmidt, J. A. Interleukin 1 β is localized in the cytoplasmic ground substance but is largely absent from the Golgi apparatus and plasma membranes of stimulated human monocytes. 389.

Singer, K. H. *See* Dustin, Singer, Tuck, and Springer.

Sinn, E. *See* Nussenzweig, Shaw, Sinn, Campos-Torres, and Leder.

Sisson, T. R. C., Drummond, G. S., Samonte, D., Calabia, R., and Kappas, A. Sn-protoporphyrin blocks the increase in serum bilirubin levels that develops postnatally in homozygous Gunn rats. 1247.

Sitbon, M. *See* Buller, Sitbon, and Portis.

Skillman, D. *See* Gendelman, Orenstein, Martin, Ferrua, Mitra, Phipps, Wahl, Lane, Fauci, Burke, Skillman, and Meltzer.

Sklar, J. *See* Cleary, Galili, Trela, Levy, and Sklar.

Smith, J. A. *See* Carroll, Alicot, Katzman, Klickstein, Smith, and Fearon.

— *See* Weis, Toothaker, Smith, Weis, and Fearon.

Smith, L. F. *See* Lowell, Smith, Seid, and Zollinger.

Smith, S. D. *See* Cleary, Mellentin, Spies, and Smith.

Snapper, C. M., Finkelman, F. D., and Paul, W. E. Differential regulation of IgG1 and IgE synthesis by interleukin 4. 183.

Socher, S. H., Friedman, A., and Martinez, D. Recombinant human tumor necrosis factor induces acute reductions in food intake and body weight in mice. 1957.

Sowder, J. T., Chen, C.-L. H., Ager, L. L., Chan, M. M., and Cooper, M. D. A large subpopulation of avian T cells express a homologue of the mammalian Tγ/δ receptor. 315.

Spangrude, G. J., Müller-Sieburg, C. E., Heimfeld, S., and Weissman, I. L. Two rare populations of mouse Thy-1^{lo} bone marrow cells repopulate the thymus. 1671.

Spencer, J. *See* MacDonald and Spencer.

Spies, J. *See* Cleary, Mellentin, Spies, and Smith.

Spits, H. *See* Bonnefoy, Guillot, Spits, Blanchard, Ishizaka, and Banchereau.

— *See* Roncarolo, Yssel, Touraine, Betuel, de Vries, and Spits.

Sprent, J., Schaefer, M., Gao, E.-K., and Korngold, R. Role of T cell subsets in lethal graft-versus-host disease (GVHD) directed to class I versus class II H-2 differences. I. L3T4$^+$ cells can either augment or retard GVHD elicited by Lyt-2$^+$ cells in class I-different hosts. 556.

Springer, T. A. *See* Corbi, Larson, Kishimoto, Springer, and Morton.

— *See* Dustin, Singer, Tuck, and Springer.

Staal, S. P., and Hartley, J. W. Thymic lymphoma induction by the AKT8 murine retrovirus. 1259.

Stamenkovic, I., and Seed, B. Analysis of two cDNA clones encoding the B lyphocyte antigen CD20 (B1, Bp35), a type III integral membrane protein. 1975.

Stanley, S. L., Jr. *See* Li, Becker, and Stanley.

Steinberg, A. D. *See* Seldin, Morse, Reeves, Scribner, LeBoeuf, and Steinberg.

Steinman, L. *See* Zamvil, Mitchell, Lee, Moore, Waldor, Sakai, Rothbard, McDevitt, Steinman, and Acha-Orbea.

Steinman, R. M. *See* Inaba, Witmer-Pack, Inaba, Muramatsu, and Steinman.

Stephens, R. S., Wagar, E. A., and Schoolnik, G. K. High-resolution mapping of serovar-specific and common antigenic determinants of the major outer membrane protein of *Chlamydia trachomatis*. 817.

Stewart, G. A. *See* Chua, Stewart, Thomas, Simpson, Dilworth, Plozza, and Turner.

Stingl, G. *See* Koning, Kruisbeek, Maloy, Marušic-Galešic, Pardoll, Shevach, Stingl, Valas, Yokoyama, and Coligan.

Strom, T. B. *See* Bacha, Williams, Waters, Williams, Murphy, and Strom.

Strunk, R. C. *See* Katz, Cole, and Strunk.

Stuart, J. M. *See* Banerjee, Haqqi, Luthra, Stuart, and David.

Su, C. J. *See* Dallo, Su, Horton, and Baseman.

Suda, J. *See* Minato, Hattori, Sudo, Kano, Miura, Suda, and Suda.

— *See* Yamaguchi, Suda, Suda, Eguchi, Miura, Harada, Tominaga, and Takatsu.

Suda, T. *See* Minato, Hattori, Sudo, Kano, Miura, Suda, and Suda.

— *See* Yamaguchi, Hayashi, Sugama, Miura, Kasahara, Kitamura, Torisu, Mita, Tominaga, Takatsu, and Suda.

— *See* Yamaguchi, Suda, Suda, Eguchi, Miura, Harada, Tominaga, and Takatsu.

Sudo, T. *See* Minato, Hattori, Sudo, Kano, Miura, Suda, and Suda.

Sugama, Y. *See* Yamaguchi, Hayashi, Sugama, Miura, Kasahara, Kitamura, Torisu, Mita, Tominaga, Takatsu, and Suda.

Sullivan, K. F. *See* Ben-Chetrit, Chan, Sullivan, and Tan.

Sun, M. J. *See* Clayman, Sun, Michaud, Brill-Dashoff, Riblet, and Neilson.

Sun, T. *See* Pytowski, Easton, Valinsky, Calderon, Sun, Christman, Wright, and Michl.

Sung, S.-S. J., Bjorndahl, J. M., Wang, C. Y., Kao, H. T., and Fu, S. M. Production of tumor necrosis factor/cachectin by human T cell lines and peripheral blood T lymphocytes stimulated by phorbol myristate acetate and anti-CD3 antibody. 937.

Szabo, P. E. *See* McCaffrey, Nicholson, Szabo, Weksler, and Weksler.

Szarfman, A., Walliker, D., McBride, J. S., Lyon, J. A., Quakyi, I. A., and Carter, R. Allelic forms of gp195, a major blood-stage antigen of *Plasmodium falciparum*, are expressed in liver stages. 231.

T

Takatsu, K. *See* Yamaguchi, Hayashi, Sugama, Miura, Kasahara, Kitamura, Torisu, Mita, Tominaga, Takatsu, and Suda.
— *See* Yamaguchi, Suda, Suda, Eguchi, Miura, Harada, Tominaga, and Takatsu.
Tam, J. P. *See* Gottlieb, Chang, Posnett, Fanelli, and Tam.
Tamaoki, T. *See* Adachi, Hayami, Kashiwagi, Mizuta, Ohta, Gill, Matheson, Tamaoki, Shiozawa, and Hakomori.
Tambussi, G. *See* Ciccone, Viale, Bottino, Pende, Migone, Casorati, Tambussi, Moretta, and Moretta.
Tan, E. M. *See* Ben-Chetrit, Chan, Sullivan, and Tan.
Tang, B. *See* Muraguchi, Hirano, Tang, Matsuda, Horii, Nakajima, and Kishimoto.
Tatter, S. B. *See* Sehgal, Helfgott, Santhanam, Tatter, Clarick, Ghrayeb, and May.
Tekamp-Olson, P. *See* Davatelis, Wolpe, Luedke, Tekamp-Olson, Merryweather, Hermsen, Gallegos, Coit, and Cerami.
Telen, M. J., Hall, S. E., Green, A. M., Moulds, J. J., and Rosse, W. F. Identification of human erythrocyte blood group antigens on decay-accelerating factor (DAF) and an erythrocyte phenotype negative for DAF. 1993.
Terada, M. *See* Wicker, Miller, Chai, Terada, and Mullen.
Termijtelen, A. *See* Irlé, Jaques, Tiercy, Fuggle, Gorski, Termijtelen, Jeannet, and Mach.
Thomas, W. R. *See* Chua, Stewart, Thomas, Simpson, Dilworth, Plozza, and Turner.
Thomason, A. *See* Pierce, Mustoe, Senior, Reed, Griffen, Thomason, and Deuel.
Tiercy, J.-M. *See* Irlé, Jaques, Tiercy, Fuggle, Gorski, Termijtelen, Jeannet, and Mach.
Tilney, N. L. *See* Di Stefano, Mouzaki, Araneda, Diamantstein, Tilney, and Kupiec-Weglinski.
To, S. E. *See* Rodman, Pruslin, Chauhan, To, and Winston.
Tomhave, E. *See* Kipps, Tomhave, Chen, and Carson.
Tominaga, A. *See* Yamaguchi, Hayashi, Sugama, Miura, Kasahara, Kitamura, Torisu, Mita, Tominaga, Takatsu, and Suda.
— *See* Yamaguchi, Suda, Suda, Eguchi, Miura, Harada, Tominaga, and Takatsu.
Toothaker, L. E. *See* Weis, Toothaker, Smith, Weis, and Fearon.
Torisu, M. *See* Yamaguchi, Hayashi, Sugama, Miura, Kasahara, Kitamura, Torisu, Mita, Tominaga, Takatsu, and Suda.
Tosato, G. *See* Sharon, Siegel, Tosato, Yodoi, Gerrard, and Leonard.
Touraine, J.-L. *See* Roncarolo, Yssel, Touraine, Betuel, de Vries, and Spits.
Tourvieille, B. *See* Ballhausen, Reske-Kunz, Tourvieille, Ohashi, Parnes, and Mak.
Townsend, K. *See* Mülier-Sieburg, Townsend, Weissman, and Rennick.
Tracey, K. J., Wei, H., Manogue, K. R., Fong, Y., Hesse, D. G., Nguyen, H. T., Kuo, G. C., Beutler, B., Cotran, R. S., Cerami, A., and Lowry, S. F. Cachectin/tumor necrosis factor induces cachexia, anemia, and inflammation. 1211.
Traganos, F. *See* Klein, Ozer, Traganos, Atzpodien, Oettgen, and Old.
Trela, M. *See* Cleary, Galili, Trela, Levy, and Sklar.
Triebel, F., Faure, F., Graziani, M., Jitsukawa, S., Lefranc, M.-P., and Hercend, T. A unique V-J-C-rearranged gene encodes a γ protein expressed on the majority of $CD3^+$ T cell receptor α/β^- circulating lymphocytes. 694.
Trinchieri, G. *See* Anegón, Cuturi, Trinchieri, and Perussia.
Trowsdale, J. *See* Wilkinson, de Vries, Madrigal, Lock, Morgenstern, Trowsdale, and Altmann.
Tschachler, E. *See* Lusso, Markham, Tschachler, di Marzo Veronese, Salahuddin, Ablashi, Pahwa, Krohn, and Gallo.
Tsoukas, C. *See* Lotz, Jirik, Kabouridis, Tsoukas, Hirano, Kishimoto, and Carson.
Tuck, D. T. *See* Dustin, Singer, Tuck, and Springer.
Turner, K. J. *See* Chua, Stewart, Thomas, Simpson, Dilworth, Plozza, and Turner.

U

Unkeless, J. C. *See* Qu, Odin, Glass, and Unkeless.
Urdal, D. L. *See* Namen, Schmierer, March, Overell, Park, Urdal, and Mochizuki.
Uyttenhove, C., Coulie, P. G., and van Snick, J. T cell growth and differentiation induced by interleukin-HP1/IL-6, the murine hybridoma/plasmacytoma growth factor. 1417.

V

Vadas, M. A. *See* Lopez, Sanderson, Gamble, Campbell, Young, and Vadas.
Valas, R. *See* Koning, Kruisbeek, Maloy, Marušic-Galešic, Pardoll, Shevach, Stingl, Valas, Yokoyama, and Coligan.
Valentine, S. *See* Heber-Katz, Valentine, Dietzschold, and Burns-Purzycki.
Valinsky, J. E. *See* Pytowski, Easton, Valinsky, Calderon, Sun, Christman, Wright, and Michl.
Van Beeumen, J. *See* Van Damme, Van Beeumen, Opdenakker, and Billiau.
Van Cleave, V. H., Naeve, C. W., and Metzger, D. W. Do antibodies recognize amino acid side chains of protein antigens independently of the carbon backbone? 1841.
Van Damme, J., Van Beeumen, J., Opdenakker, G., and Billiau, A. A novel, NH_2-terminal sequence-characterized human monokine possessing

neutrophil chemotactic, skin-reactive, and granulocytosis-promoting activity. 1364.

van de Griend, R. J. *See* Borst, van Dongen, Bolhuis, Peters, Hafler, de Vries, and van de Griend.

van de Water, J., Gershwin, M. E., Leung, P., Ansari, A., and Coppel, R. L. The autoepitope of the 74-kD mitochondrial autoantigen of primary bilary cirrhosis corresponds to the functional site of dihydrolipoamide acetyltransferase. 1791.

van Dongen, J. J. M. *See* Borst, van Dongen, Bolhuis, Peters, Hafler, de Vries, and van de Griend.

van Snick, J. *See* Uyttenhove, Coulie, and van Snick.

Vercelli, D., Jabara, H. H., Lee, B.-W., Woodland, N., Geha, R. S., and Leung, D. Y. M. Human recombinant interleukin 4 induces FcεR2/CD23 on normal human monocytes. 1406.

Verret, C. R. *See* Allbritton, Verret, Wolley, and Eisen.

— *See* Ferguson, Verret, Reilly, Iannini, and Eisen.

Verroust, P. *See* Sahali, Mulliez, Chatelet, Dupuis, Ronco, and Verroust.

Viale, O. *See* Ciccone, Viale, Bottino, Pende, Migone, Casorati, Tambussi, Moretta, and Moretta.

Vujanovic, N. L., Herberman, R. B., Maghazachi, A. A., and Hiserodt, J. C. Lymphokine-activated killer cells in rats. III. A simple method for the purification of large granular lymphocytes and their rapid expansion and conversion into lymphokine-activated killer cells. 15.

W

Waage, A., and Espevik, T. Interleukin 1 potentiates the lethal effect of tumor necrosis factor α/cachectin in mice. 1987.

Wagar, E. A. *See* Stephens, Wagar, and Schoolnik.

Wahl, L. A. *See* Gendelman, Orenstein, Martin, Ferrua, Mitra, Phipps, Wahl, Lane, Fauci, Burke, Skillman, and Meltzer.

Waldor, M. K. *See* Zamvil, Mitchell, Lee, Moore, Waldor, Sakai, Rothbard, McDevitt, Steinman, and Acha-Orbea.

Walliker, D. *See* Szarfman, Walliker, McBride, Lyon, Quakyi, and Carter.

Walter, R. D. *See* Lucius, Schulz-Key, Büttner, Kern, Kaltmann, Prod'hon, Seeber, Walter, Saxena, and Diesfeld.

Walz, A. *See* Peveri, Walz, Dewald, and Baggiolini.

Wang, C. Y. *See* Sung, Bjorndahl, Wang, Kao, and Fu.

Ward, H. D., Alroy, J., Lev, B. I., Keusch, G. T., and Pereira, M. E. A. Biology of *Giardia lamblia*. Detection of *N*-acetyl-D-glucosamine as the only surface saccharide moiety and identification of two distinct subsets of trophozoites by lectin binding. 73.

Waters, C. *See* Bacha, Williams, Waters, Williams, Murphy, and Strom.

Wei, H. *See* Tracey, Wei, Manogue, Fong, Hesse, Nguyen, Kuo, Beutler, Cotran, Cerami, and Lowry.

Weiner, H. L. *See* Hafler, Duby, Lee, Benjamin, Seidman, and Weiner.

Weinshank, R. L., Luster, A. D., and Ravetch, J. V. Function and regulation of a murine macrophage-specific IgG Fc receptor, FcγR-α. 1909.

Weis, J. E., Toothaker, L. E., Smith, J. A., Weis, J. H., and Fearon, D. T. Structure of the human B lymphocyte receptor for C3d and the Epstein-Barr virus and relatedness to other members of the family of C3/C4 binding proteins. 1047.

Weis, J. H. *See* Weis, Toothaker, Smith, Weis, and Fearon.

Weissman, I. L. *See* Mueller, Gershenfeld, Lobe, Okada, Bleackley, and Weissman.

— *See* Müller-Sieburg, Townsend, Weissman, and Rennick.

— *See* Spangrude, Müller-Sieburg, Heimfeld, and Weissman.

Weissmann, G. *See* Rose, Hirschhorn, Weissmann, and Cronstein.

Weksler, B. B. *See* McCaffrey, Nicholson, Szabo, Weksler, and Weksler.

Weksler, M. E. *See* McCaffrey, Nicholson, Szabo, Weksler, and Weksler.

Wernet, P. *See* Pawelec, Fernandez, Brocker, Schneider, Festenstein, and Wernet.

Wicker, L. S., Miller, B. J., Chai, A., Terada, M., and Mullen, Y. Expression of genetically determined diabetes and insulitis in the nonobese diabetic (NOD) mouse at the level of bone marrow-derived cells.Transfer of diabetes and insulitis to nondiabetic (NOD × B10)F_1 mice with bone marrow cells from NOD mice. 1801.

Wilkinson, D., de Vries, R. R. P., Madrigal, J. A., Lock, C. B., Morgenstern, J. P., Trowsdale, J., and Altmann, D. M. Analysis of HLA-DR glycoproteins by DNA-mediated gene transfer. Definition of DR2β gene products and antigen presentation to T cell clones from leprosy patients. 1442.

Williams, A. F. *See* Clark, Law, Paterson, Puklavec, and Williams.

Williams, D. P. *See* Bacha, Williams, Waters, Williams, Murphy, and Strom.

Williams, J. M. *See* Bacha, Williams, Waters, Williams, Murphy, and Strom.

Winston, R. *See* Rodman, Pruslin, Chauhan, To, and Winston.

Witmer-Pack, M. D. *See* Inaba, Witmer-Pack, Inaba, Muramatsu, and Steinman.

Wolff, K. R. *See* Desiderio and Wolff.

Wolley, R. C. *See* Allbritton, Verret, Wolley, and Eisen.

Wolpe, S. D., Davatelis, G., Sherry, B., Beutler, B., Hesse, D. G., Nguyen, H. T., Moldawer, L. T., Nathan, C. F., Lowry, S. F., and Cerami, A. Macrophages secrete a novel heparin-binding protein with inflammatory and neutrophil chemokinetic properties. 570.

— *See* Davatelis, Wolpe, Luedke, Tekamp-Olson, Merryweather, Hermsen, Gallegos, Coit, and Cerami.

Woodland, N. *See* Vercelli, Jabara, Lee, Woodland, Geha, and Leung.

Wright, S. D. *See* Pytowski, Easton, Valinsky, Calderon, Sun, Christman, Wright, and Michl.

Wu, G. E., and Paige, C. J. V_H gene family utilization is regulated by a locus outside of the V_H region. 1499.

Y

Yamaguchi, Y., Hayashi, Y., Sugama, Y., Miura, Y., Kasahara, T., Kitamura, S., Torisu, M., Mita, S., Tominaga, A., Takatsu, K., and Suda, T. Highly purified murine interleukin 5 (IL-5) stimulates eosinophil function and prolongs in vitro survival. IL-5 as an eosinophil chemotactic factor. 1737.

—, Suda, T., Suda, J., Eguchi, M., Miura, Y., Harada, N., Tominaga, A., and Takatsu, K. Purified interleukin 5 supports the terminal differentiation and proliferation of murine eosinophilic precursors. 43.

Yamasaki, T. *See* Ljunggren, Yamasaki, Collins, Klein, and Kärre.

Yasumizu, R. *See* Oyaizu, Yasumizu, Miyama-Inaba, Nomura, Yoshida, Miyawaki, Shibata, Mitsuoka, Yasunaga, Morii, Good, and Ikehara.

Yasunaga, K. *See* Oyaizu, Yasumizu, Miyama-Inaba, Nomura, Yoshida, Miyawaki, Shibata, Mitsuoka, Yasunaga, Morii, Good, and Ikehara.

Yodoi, J. *See* Sharon, Siegel, Tosato, Yodoi, Gerrard, and Leonard.

Yokoyama, W. M. *See* Koning, Kruisbeek, Maloy, Marušic-Galešic, Pardoll, Shevach, Stingl, Valas, Yokoyama, and Coligan.

Yoshida, H. *See* Oyaizu, Yasumizu, Miyama-Inaba, Nomura, Yoshida, Miyawaki, Shibata, Mitsuoka, Yasunaga, Morii, Good, and Ikehara.

Yoshida, R., Murray, H. W., and Nathan, C. F. Agonist and antagonist effects of interferon α and β on activation of human macrophages. Two classes of interferon γ receptors and blockade of the high-affinity sites by interferon α or β. 1171.

Yoshimura, T. *See* Matsushima, Morishita, Yoshimura, Lavu, Kobayashi, Lew, Appella, Kung, Leonard, and Oppenheim.

Young, I. G. *See* Lopez, Sanderson, Gamble, Campbell, Young, and Vadas.

Yssel, H. *See* Roncarolo, Yssel, Touraine, Betuel, de Vries, and Spits.

Z

Zamvil, S. S., Mitchell, D. J., Lee, N. E., Moore, A. C., Waldor, M. K., Sakai, K., Rothbard, J. B., McDevitt, H. O., Steinman, L., and Acha-Orbea, H. Predominant expression of a T cell receptor V_β gene subfamily in autoimmune encephalomyelitis. 1586.

Zingg, J. *See* Dahinden, Zingg, Maly, and de Weck.

Zinkernagel, R. M. *See* Leist, Frei, Kam-Hansen, Zinkernagel, and Fontana.

— *See* Leist, Rüedi, and Zinkernagel.

— *See* MacDonald, Pedrazzini, Schneider, Louis, Zinkernagel, and Hengartner.

Zlotnik, A. *See* Ranges, Zlotnik, Espevik, Dinarello, Cerami, and Palladino.

THE JOURNAL OF EXPERIMENTAL MEDICINE

Edited by

Anthony Cerami Zanvil A. Cohn Maclyn McCarty

Assistant Editors

Allan R. Goldberg Carl Nathan Ellen Pure Ralph Steinman

Advisory Editors

Frederick W. Alt
K. Frank Austen
Baruj Benacerraf
Constantin A. Bona
George Cross
John R. David
Frank J. Dixon
Bernard N. Fields
Shu Man Fu
Emil C. Gotschlich
Thomas J. Kindt
Seymour J. Klebanoff
Norman R. Klinman
Frank Lilly
Philippa Marrack
Lloyd F. Mayer
Hans J. Müller-Eberhard
E. A. McCulloch
Ralph L. Nachman
Robert J. North
Victor Nussenzweig
Michael B. A. Oldstone
William E. Paul
Russell Ross
Pablo Rubinstein
David H. Sachs
Matthew D. Scharff
Hans Schreiber
Benjamin D. Schwartz
Kendall A. Smith
Jonathan Sprent
Timothy A. Springer
Giorgio Trinchieri
Ching C. Wang
D. J. Weatherall
Zena Werb
Alan F. Williams
Darcy B. Wilson
Henry J. Winn

VOLUME 167

1988

PUBLISHED MONTHLY BY
THE ROCKEFELLER UNIVERSITY PRESS

COPYRIGHT © 1988 BY THE ROCKEFELLER UNIVERSITY PRESS

CONTENTS

Volume 167 No. 1 January 1, 1988

1 YITZHAK KATZ, F. SESSIONS COLE, and ROBERT C. STRUNK. Synergism between γ interferon and lipopolysaccharide for synthesis of factor B, but not C2, in human fibroblasts

15 NIKOLA L. VUJANOVIC, RONALD B. HERBERMAN, AZZAM AL MAGHAZACHI, and JOHN C. HISERODT. Lymphokine-activated killer cells in rats. III. A simple method for the purification of large granular lymphocytes and their rapid expansion and conversion into lymphokine-activated killer cells

30 MARGUERITE A. NEILL and SEYMOUR J. KLEBANOFF. The effect of phenolic glycolipid-1 from *Mycobacterium leprae* on the antimicrobial activity of human macrophages

43 YUJI YAMAGUCHI, TOSHIO SUDA, JUNKO SUDA, MITSUOKI EGUCHI, YASUSADA MIURA, NOBUYUKI HARADA, AKIRA TOMINAGA, and KIYOSHI TAKATSU. Purified interleukin 5 supports the terminal differentiation and proliferation of murine eosinophilic precursors

57 JEAN YVES BONNEFOY, ODILE GUILLOT, HERGEN SPITS, DOMINIQUE BLANCHARD, KIMISHIGE ISHIZAKA, and JACQUES BANCHEREAU. The low-affinity receptor for IgE (CD23) on B lymphocytes is spatially associated with HLA-DR antigens

73 HONORINE D. WARD, JOSEPH ALROY, BOAZ I. LEV, GERALD T. KEUSCH, and MIERCIO E. A. PEREIRA. Biology of *Giardia lamblia*. Detection of *N*-acetyl-D-glucosamine as the only surface saccharide moiety and identification of two distinct subsets of trophozoites by lectin binding

89 CAROLYN FRISCH BARTH and ERIC H. HUMPHRIES. A nonimmunosuppressive helper virus allows high efficiency induction of B cell lymphomas by reticuloendotheliosis virus strain T

109 RODNEY D. ADAM, ANITA AGGARWAL, ALTAF A. LAL, VIDAL F. DE LA CRUZ, THOMAS MCCUTCHAN, and THEODORE E. NASH. Antigenic variation of a cysteine-rich protein in *Giardia lamblia*

119 ANDREAS CONZELMANN and LEO LEFRANCOIS. Monoclonal antibodies specific for T cell–associated carbohydrate determinants react with human blood group antigens CAD and SDA

132 HARRY M. GEORGIOU, ANNE-CATHERINE LAGARDE, and DONALD BELLGRAU. T cell dysfunction in the diabetes-prone BB rat. A role for thymic migrants that are not T cell precursors

149 KAYO INABA, MARGIT D. WITMER-PACK, MUNEO INABA, S. MURAMATSU, and RALPH M. STEINMAN. The function of Ia^+ dendritic cells and Ia^- dendritic cell precursors in thymocyte mitogenesis to lectin and lectin plus interleukin 1

163 TIMOTHY A. MCCAFFREY, ANDREW C. NICHOLSON, PAUL E. SZABO, MARC E. WEKSLER, and BABETTE B. WEKSLER. Aging and arteriosclerosis. The increased proliferation of arterial smooth muscle cells isolated from old rats is associated with increased platelet-derived growth factor–like activity

175 K. Y. CHUA, G. A. STEWART, W. R. THOMAS, R. J. SIMPSON, R. J. DILWORTH, T. M. PLOZZA, and K. J. TURNER. Sequence analysis of cDNA coding for a major house dust mite allergen, *Der p* I. Homology with cysteine proteases

183 C. M. SNAPPER, F. D. FINKELMAN, and W. E. PAUL. Differential regulation of IgG1 and IgE synthesis by interleukin 4

197 ALAN N. HOUGHTON, ANTHONY P. ALBINO, CARLOS CORDON-CARDO, LAURA J. DAVIS, and MAGDALENA EISINGER. Cell surface antigens of human melanocytes and melanoma. Expression of adenosine deaminase binding protein is extinguished with melanocyte transformation

BRIEF DEFINITIVE REPORTS

213 D. SAHALI, N. MULLIEZ, F. CHATELET, R. DUPUIS, P. RONCO, and P. VERROUST. Characterization of a 280-kD protein restricted to the coated pits of the renal brush border and the epithelial cells of the yolk sac. Teratogenic effect of the specific monoclonal antibodies

219 ANGEL F. LOPEZ, COLIN J. SANDERSON, JENNIFER R. GAMBLE, HUGH D. CAMPBELL, IAN G. YOUNG, and MATTHEW A. VADAS. Recombinant human interleukin 5 is a selective activator of human eosinophil function

225 DARRYL K. SHIBATA, NORMAN ARNHEIM, and W. JOHN MARTIN. Detection of human papilloma virus in paraffin-embedded tissue using the polymerase chain reaction

231 ANA SZARFMAN, DAVID WALLIKER, JANA S. MCBRIDE, JEFFREY A. LYON, ISABELLA A. QUAKYI, and RICHARD CARTER. Allelic forms of gp195, a major blood-stage antigen of *Plasmodium falciparum*, are expressed in liver stages

Volume 167 No. 2 February 1, 1988

243 GRAHAM PAWELEC, NELSON FERNANDEZ, THOMAS BROCKER, E. MARION SCHNEIDER, HILLIARD FESTENSTEIN, and PETER WERNET. DY determinants, possibly associated with novel class II molecules, stimulate autoreactive $CD4^+$ T cells with suppressive activity

262 PATRICK G. HOLT, MICHAEL A. SCHON-HEGRAD, and JANE OLIVER. MHC class II antigen-bearing dendritic cells in pulmonary tissues of the rat. Regulation of antigen presentation activity by endogenous macrophage populations

275 ELLEN HEBER-KATZ, SHARON VALENTINE, BERNHARD DIETZSCHOLD, and CATHERINE BURNS-PURZYCKI. Overlapping T cell antigenic sites on a synthetic peptide fragment from herpes simplex virus glycoprotein D, the degenerate MHC restriction elicited, and functional evidence for antigen–Ia interaction

288 RHO H. SEONG, CAROL A. CLAYBERGER, ALAN M. KRENSKY, and JANE R. PARNES. Rescue of Daudi cell HLA expression by transfection of the mouse β_2-microglobulin gene

300 N. W. ANDREWS, E. S. ROBBINS, V. LEY, K. S. HONG, and V. NUSSENZWEIG. Developmentally regulated, phospholipase C–mediated release of the major surface glycoprotein of amastigotes of *Trypanosoma cruzi*

315 JOSEPH T. SOWDER, CHEN-LO H. CHEN, L. LANIER AGER, MARION M. CHAN, and MAX D. COOPER. A large subpopulation of avian T cells express a homologue of the mammalian $T\gamma/\delta$ receptor

323 MASAKAZU ADACHI, MASANORI HAYAMI, NOBUHITO KASHIWAGI, TOSHINOBU MIZUTA, YOSHIHIRO OHTA, MICHAEL JOHN GILL, DAVID S. MATHESON, TAIKI TAMAOKI, CHIAKI SHIOZAWA, and SEN-ITIROH HAKOMORI. Expression of Le^y antigen in human immunodeficiency virus–infected human T cell lines and in peripheral lymphocytes of patients with acquired immune deficiency syndrome (AIDS) and AIDS-related complex (ARC)

332 ATSUSHI MURAGUCHI, TOSHIO HIRANO, BO TANG, TADASHI MATSUDA, YASUHIRO HORII, KOICHI NAKAJIMA, and TADAMITSU KISHIMOTO. The essential role of B cell stimulatory factor 2 (BSF-2/IL-6) for the terminal differentiation of B cells

345 ANTONIO LANZAVECCHIA, SERGIO ABRIGNANI, DORIS SCHEIDEGGER, RETO OBRIST, BERND DÖRKEN, and GERHARD MOLDENHAUER. Antibodies as antigens. The use of mouse monoclonal antibodies to focus human T cells against selected targets

353 ALAN W. HARRIS, CARL A. PINKERT, MARJORIE CRAWFORD, WALLACE Y. LANGDON, RALPH L. BRINSTER, and JERRY M. ADAMS. The Eu-*myc* transgenic mouse. A model for high-incidence spontaneous lymphoma and leukemia of early B cells

372 STEPHEN V. DESIDERIO and KAREN R. WOLFF. Rearrangement of exogenous immunoglobulin V_H and DJ_H gene segments after retroviral transduction into immature lymphoid cell lines

389 IRWIN I. SINGER, SOL SCOTT, GILLIAN L. HALL, GUADALUPE LIMJUCO, JAYNE CHIN, and JOHN A. SCHMIDT. Interleukin 1 β is localized in the cytoplasmic ground substance but is largely absent from the Golgi apparatus and plasma membranes of stimulated human monocytes

408 SARAH B. CLARKSON and PETER A. ORY. CD16. Developmentally regulated IgG Fc receptors on cultured human monocytes

421 BRONISLAW PYTOWSKI, THOMAS G. EASTON, JAY E. VALINSKY, TINA CALDERON, TSIEH SUN, JUDITH K. CHRISTMAN, SAMUEL D. WRIGHT, and JOSEF MICHL. A monoclonal antibody to a human neutrophil–specific plasma membrane antigen. Effect of the antibody on the C3bi-mediated adherence by neutrophils and expression of the antigen during myelopoiesis

440 H. J. DE AIZPURUA and G. J. RUSSELL-JONES. Oral vaccination. Identification of classes of proteins that provoke an immune response upon oral feeding

452 IGNACIO ANEGÓN, MARIA CRISTINA CUTURI, GIORGIO TRINCHIERI, and BICE PERUSSIA. Interaction of Fc receptor (CD16) ligands induces transcription of interleukin 2 receptor (CD25) and lymphokine genes and expression of their products in human natural killer cells

473 JEAN-MARIE BUERSTEDDE, LARRY R. PEASE, MIKE P. BELL, ALLAN E. NILSON, GERTRUD BUERSTEDDE, DONAL MURPHY, and DAVID J. MCKEAN. Identification of an immunodominant region on the I-A β chain using site-directed mutagenesis and DNA-mediated gene transfer

488 WINFRIED B. GRANINGER, PAULA L. GOLDMAN, CYNTHIA C. MORTON, STEPHEN J. O'BRIEN, and STANLEY J. KORSMEYER. The κ-deleting element. Germline and rearranged, duplicated and dispersed forms

502 MARY PAT HAPP and ELLEN HEBER-KATZ. Differences in the repertoire of the Lewis rat T cell response to self and non-self myelin basic proteins

514 NANCY L. ALLBRITTON, C. REYNOLD VERRET, ROBERT C. WOLLEY, and HERMAN N. EISEN. Calcium ion concentrations and DNA fragmentation in target cell destruction by murine cloned cytotoxic T lymphocytes

528 WILLIAM S. FERGUSON, C. REYNOLD VERRET, EDWARD B. REILLY, MARK J. IANNINI, and HERMAN N. EISEN. Serine esterase and hemolytic activity in human cloned cytotoxic T lymphocytes

541 IRWIN J. GRIFFITH, NASRIN NABAVI, ZOHER GHOGAWALA, CAROL G. CHASE, MOSES RODRIGUEZ, DAVID J. MCKEAN, and LAURIE H. GLIMCHER. Structural mutation affecting intracellular transport and cell surface expression of murine class II molecules

556 J. SPRENT, MARY SCHAEFER, ER-KAI GAO, and ROBERT KORNGOLD. Role of T cell subsets in lethal graft-versus-host disease (GVHD) directed to class I versus class II H-2 differences. I. L3T4$^+$ cells can either augment or retard GVHD elicited by Lyt-2$^+$ cells in class I–different hosts

570 STEPHEN D. WOLPE, GEORGE DAVATELIS, BARBARA SHERRY, BRUCE BEUTLER, DAVID G. HESSE, HAI T. NGUYEN, LYLE T. MOLDAWER, CARL F. NATHAN, STEPHEN F. LOWRY, and ANTHONY CERAMI. Macrophages secrete a novel heparin-binding protein with inflammatory and neutrophil chemokinetic properties

582 MICHAEL L. CLEARY, NAOMI GALILI, MARTHA TRELA, RONALD LEVY, and JEFFREY SKLAR. Single cell origin of bigenotypic and biphenotypic B cell proliferations in human follicular lymphomas

598 ALISON MCINNES and DONNA M. RENNICK. Interleukin 4 induces cultured monocytes/macrophages to form giant multinucleated cells

612 P. BACHA, D. P. WILLIAMS, C. WATERS, J. M. WILLIAMS, J. R. MURPHY, and T. B. STROM. Interleukin 2 receptor–targeted cytotoxicity. Interleukin 2 receptor–mediated action of a diphtheria toxin–related interleukin 2 fusion protein

623 ALAN A. ADEREM and ZANVIL A. COHN. Calcium ionophore synergizes with bacterial lipopolysaccharides in activating macrophage arachidonic acid metabolism

632 JERZY W. KUPIEC-WEGLINSKI, JONATHAN M. AUSTYN, and PETER J. MORRIS. Migration patterns of dendritic cells in the mouse. Traffic from the blood, and T cell–dependent and –independent entry to lymphoid tissues

BRIEF DEFINITIVE REPORTS

646 JONATHAN M. AUSTYN, JERZY W. KUPIEC-WEGLINSKI, DEBORAH F. HANKINS, and PETER J. MORRIS. Migration patterns of dendritic cells in the mouse. Homing to T cell–dependent areas of spleen, and binding within marginal zone

652 JOACHIM HOMBACH, FRED SABLITZKY, KLAUS RAJEWSKY, and MICHAEL RETH. Transfected plasmacytoma cells do not transport the membrane form of IgM to the cell surface

658 GEORGE H. LOWELL, LYNETTE F. SMITH, ROBERT C. SEID, and WENDALL D. ZOLLINGER. Peptides bound to proteosomes via hydrophobic feet become highly immunogenic without adjuvants

664 JAVIER REY-CAMPOS, PABLO RUBENSTEIN, and SANTIAGO RODRIGUEZ DE CORDOBA. A physical map of the human regulator of complement activation gene cluster linking the complement genes *CR1*, *CR2*, *DAF*, and *C4BP*

670 ALICE B. GOTTLIEB, CHEOW KHONG CHANG, DAVID N. POSNETT, B. FANELLI, and JAMES P. TAM. Detection of transforming growth factor α in normal, malignant, and hyperproliferative human keratinocytes

676 F. KONING, A. M. KRUISBEEK, W. L. MALOY, S. MARUŠIC-GALEŠIC, D. M. PARDOLL, E. M. SHEVACH, G. STINGL, R. VALAS, W. M. YOKOYAMA, and J. E. COLIGAN. T cell receptor γ/δ chain diversity

682 MICHAEL L. CLEARY, JULIA D. MELLENTIN, JESSICA SPIES, and STEPHEN D. SMITH. Chromosomal translocation involving the β T cell receptor gene in acute leukemia

688 MICHAEL F. SELDIN, HERBERT C. MORSE, III, J. PATTON REEVES, CURTIS L. SCRIBNER, RENEE C. LEBOEUF, and ALFRED D. STEINBERG. Genetic analysis of autoimmune *gld* mice. I. Identification of a restriction fragment length polymorphism closely linked to the *gld* mutation within a conserved linkage group

694 FRÉDÉRIC TRIEBEL, FLORENCE FAURE, MARITA GRAZIANI, SETSUKO JITSUKAWA, MARIE-PAULE LEFRANC, and THIERRY HERCEND. A unique V-J-C rearranged gene encodes a γ protein expressed on the majority of $CD3^+$ T cell receptor α/β^- circulating lymphocytes

700 CHRISTINE HEUFLER, FRANZ KOCH, and GEROLD SCHULER. Granulocyte/macrophage colony-stimulating factor and interleukin 1 mediate the maturation of murine epidermal Langerhans cells into potent immunostimulatory dendritic cells

706 D. JOHN MAUDSLEY and ALAN G. MORRIS. Kirsten murine sarcoma virus abolishes interferon γ–induced class II but not class I major histocompatibility antigen expression in a murine fibroblast line

712 PETER RALPH, ILONA NAKOINZ, and DONNA RENNICK. Role of interleukin 2, interleukin 4, and α, β, and γ interferon in stimulating macrophage antibody-dependent tumoricidal activity

718 S. F. DALLO, C. J. SU, J. R. HORTON, and J. B. BASEMAN. Identification of P1 gene domain containing epitope(s) mediating *Mycoplasma pneumoniae* cytadherence

724 LINDA L. BUTTON and W. ROBERT MCMASTER. Molecular cloning of the major surface antigen of Leishmania

730 HANS-GUSTAF LJUNGGREN, TOSHIKI YAMASAKI, PETER COLLINS, GEORGE KLEIN, and KLAS KÄRRE. Selective acceptance of MHC class I–deficient tumor grafts in the brain

Volume 167 No. 3 March 1, 1988

741 TAKUYA KATAGIRI, PHILIP L. COHEN, and ROBERT A. EISENBERG. The *lpr* gene causes an intrinsic T cell abnormality that is required for hyperproliferation

752 CLAUDE JUPIN, SOPHIE ANDERSON, CHANTAL DAMAIS, JOSEPH E. ALOUF, and MONIQUE PARANT. Toxic shock syndrome toxin 1 as an inducer of human tumor necrosis factors and γ interferon

762 NAGAHIRO MINATO, MASAKAZU HATTORI, TETSUO SUDO, SHOGO KANO, YASUSADA MIURA, JUNKO SUDA, and TOSHIO SUDA. Differentiation in vitro of $T3^+$ large granular lymphocytes with characteristic cytotoxic activity from an isolated hematopoietic progenitor colony

777 ERIC J. BROWN and JENNIFER L. GOODWIN. Fibronectin receptors of phagocytes. Characterization of the Arg-Gly-Asp binding proteins of human monocytes and polymorphonuclear leukocytes

794 LYNNE A. LAPIERRE, WALTER FIERS, and JORDAN S. POBER. Three distinct classes of regulatory cytokines control endothelial cell MHC antigen expression. Interactions with immune γ interferon differentiate the effects of tumor necrosis factor and lymphotoxin from those of leukocyte α and fibroblast β interferons

805 DAVID GRAY. Population kinetics of rat peripheral B cells

817 RICHARD S. STEPHENS, ELIZABETH A. WAGAR, and GARY K. SCHOOLNIK. High-resolution mapping of serovar-specific and common antigenic determinants of the major outer membrane protein of *Chlamydia trachomatis*

832 SUBHASHIS BANERJEE, TARIQ M. HAQQI, HARVINDER S. LUTHRA, JOHN M. STUART, and CHELLA S. DAVID. Possible role of V_β T cell receptor genes in susceptibility to collagen-induced arthritis in mice

840 THOMAS J. KIPPS, ERIC TOMHAVE, POJEN P. CHEN, and DENNIS A. CARSON. Autoantibody-associated κ light chain variable region gene expressed in chronic lymphocytic leukemia with little or no somatic mutation. Implications for etiology and immunotherapy

853 C. IRLÉ, D. JAQUES, J.-M. TIERCY, S. V. FUGGLE, J. GORSKI, A. TERMIJTELEN, M. JEANNET, and B. MACH. Functional polymorphism of each of the two HLA-DR β chain loci demonstrated with antigen-specific DR3- and DRw52-restricted T cell clones

873 M. LÜBBERT, C. W. MILLER, L. CRAWFORD, and H. P. KOEFFLER. p53 in chronic myelogenous leukemia. Study of mechanisms of differential expression

887 STEPHEN M. PUENTES, DAVID L. SACKS, ROSANGELA P. DA SILVA, and KEITH A. JOINER. Complement binding by two developmental stages of *Leishmania major* promastigotes varying in expression of a surface lipophosphoglycan

903 P. N. HAWKINS, M. J. MYERS, A. A. EPENETOS, D. CASPI, and M. B. PEPYS. Specific localization and imaging of amyloid deposits in vivo using ^{123}I-labeled serum amyloid P component

914 HANA GOLDING, FRANK A. ROBEY, FREDERICK T. GATES, III, WOLFGANG LINDER, PAUL R. BEINING, THOMAS HOFFMAN, and BASIL GOLDING. Identification of homologous regions in human immunodeficiency virus I gp41 and human MHC class II β 1 domain. I. Monoclonal antibodies against the gp41-derived peptide and patients' sera react with native HLA class II antigens, suggesting a role for autoimmunity in the pathogenesis of acquired immune deficiency syndrome

924 TOHRU AKAHOSHI, JOOST J. OPPENHEIM, and KOUJI MATSUSHIMA. Induction of high-affinity interleukin 1 receptor on human peripheral blood lymphocytes by glucocorticoid hormones

937 SUN-SANG J. SUNG, JAY M. BJORNDAHL, CHANG YI WANG, H. T. KAO, and SHU MAN FU. Production of tumor necrosis factor/cachectin by human T cell lines and peripheral blood T lymphocytes stimulated by phorbol myristate acetate and anti-CD3 antibody

954 NADINE C. CHIEN, ROBERTA R. POLLOCK, CATHERINE DESAYMARD, and MATTHEW D. SCHARFF. Point mutations cause the somatic diversification of IgM and IgG2a anti-phosphorylcholine antibodies

974 GLENN F. PIERCE, THOMAS A. MUSTOE, ROBERT M. SENIOR, JACQUELYN REED, GAIL L. GRIFFIN, ARLEN THOMASON, and THOMAS F. DEUEL. In vivo incisional wound healing augmented by platelet-derived growth factor and recombinant c-*sis* gene homodimeric proteins

988 ANTHONY E. NAMEN, ANN E. SCHMIERER, CARL J. MARCH, ROBERT W. OVERELL, LINDA S. PARK, DAVID L. URDAL, and DIANE Y. MOCHIZUKI. B cell precursor growth-promoting activity. Purification and characterization of a growth factor active on lymphocyte precursors

1003 RAMESH C. NAYAK, AUDREY B. BERMAN, KATHERINE L. GEORGE, GEORGE S. EISENBARTH, and GEORGE L. KING. A monoclonal antibody (3G5)–defined ganglioside antigen is expressed on the cell surface of microvascular pericytes

1016 GAYLE C. BOSMA, MICHAL FRIED, R. PHILIP CUSTER, ANN CARROLL, DAVID M. GIBSON, and MELVIN J. BOSMA. Evidence of functional lymphocytes in some (leaky) *scid* mice

1034 R. ALAN B. EZEKOWITZ, LINDA E. DAY, and GARY A. HERMAN. A human mannose-binding protein is an acute-phase reactant that shares sequence homology with other vertebrate lectins

1047 JANIS E. WEIS, LORRAINE E. TOOTHAKER, JOHN A. SMITH, JOHN H. WEIS, and DOUGLAS T.

FEARON. Structure of the human B lymphocyte receptor for C3d and the Epstein-Barr virus and relatedness to other members of the family of C3/C4 binding proteins

1067 EDWARD A. HAVELL, WALTER FIERS, and ROBERT J. NORTH. The antitumor function of tumor necrosis factor (TNF). I. Therapeutic action of TNF against an established murine sarcoma is indirect, immunologically dependent, and limited by severe toxicity

1086 ROBERT J. NORTH and EDWARD A. HAVELL. The antitumor function of tumor necrosis factor (TNF). II. Analysis of the role of endogenous TNF in endotoxin-induced hemorrhagic necrosis and regression of an established sarcoma

1100 MASAHARU KOJIMA, KEMP B. CEASE, GAIL K. BUCKENMEYER, and JAY A. BERZOFSKY. Limiting dilution comparison of the repertoires of high and low responder MHC-restricted T cells

1114 KEVIN F. JONES and VINCENT A. FISCHETTI. The importance of the location of antibody binding on the M6 protein for opsonization and phagocytosis of group A M6 streptococci

1124 CHRISTOPH MUELLER, HOWARD K. GERSHENFELD, CORINNE G. LOBE, CRAIG Y. OKADA, R. CHRIS BLEACKLEY, and IRVING L. WEISSMAN. A high proportion of T lymphocytes that infiltrate H-2-incompatible heart allografts in vivo express genes encoding cytotoxic cell-specific serine proteases, but do not express the MEL-14-defined lymph node homing receptor

1137 CATHERINE J. PAINTER, MARC MONESTIER, ALICE CHEW, ALEXANDRA BONA-DIMITRIU, KUPPUSWAMY KASTURI, CELESTE BAILEY, VALERIE E. SCOTT, CHARLES L. SIDMAN, and CONSTANTIN A. BONA. Specificities and V genes encoding monoclonal autoantibodies from viable motheaten mice

1154 AIHAO DING and CARL NATHAN. Analysis of the nonfunctional respiratory burst in murine Kupffer cells

1171 RYOTARO YOSHIDA, HENRY W. MURRAY, and CARL F. NATHAN. Agonist and antagonist effects of interferon α and β on activation of human macrophages. Two classes of interferon γ receptors and blockade of the high-affinity sites by interferon α or β

1186 F. ROBERTA ROSE, ROCHELLE HIRSCHHORN, GERALD WEISSMANN, and BRUCE N. CRONSTEIN. Adenosine promotes neutrophil chemotaxis

1195 ZHENGXING QU, JOSEPH ODIN, JOHN D. GLASS, and JAY C. UNKELESS. Expression and characterization of a truncated murine Fcγ receptor

1211 KEVIN J. TRACEY, HE WEI, KIRK R. MANOGUE, YUMAN FONG, DAVID G. HESSE, HAI T. NGUYEN, GEORGE C. KUO, BRUCE BEUTLER, RAMZI S. COTRAN, ANTHONY CERAMI, and STEPHEN F. LOWRY. Cachectin/tumor necrosis factor induces cachexia, anemia, and inflammation

1228 TOBY C. RODMAN, FRED H. PRUSLIN, YESHPAL CHAUHAN, STEPHEN E. TO, and RONALD WINSTON. Protamine-reactive natural IgM antibodies in human sera. Characterization of the epitope demonstrates specificity of antigenic recognition; occurrence indicates obscurity of origin and function

BRIEF DEFINITIVE REPORTS

1247 THOMAS R. C. SISSON, GEORGE S. DRUMMOND, DULCE SAMONTE, RAFAELA CALABIA, and ATTALLAH KAPPAS. Sn-protoporphyrin blocks the increase in serum bilirubin levels that develops postnatally in homozygous Gunn rats

1253 MARTIN LOTZ, FRANK JIRIK, PANAGIOTIS KABOURIDIS, CONSTANTINE TSOUKAS, TOSHIO HIRANO, TADAMITSU KISHIMOTO, and DENNIS A. CARSON. B cell stimulating factor 2/interleukin 6 is a costimulant for human thymocytes and T lymphocytes

1259 STEPHEN P. STAAL and JANET W. HARTLEY. Thymic lymphoma induction by the AKT8 murine retrovirus

1265 MICHAEL SHARON, JAY P. SIEGEL, GIOVANNA TOSATO, JUNJI YODOI, THERESA L. GERRARD, and WARREN J. LEONARD. The human interleukin 2 receptor β chain (p70). Direct identification, partial purification, and patterns of expression on peripheral blood mononuclear cells

Volume 167 No. 4 April 1, 1988

1271 MICHAEL C. CARROLL, ELIZABETH M. ALICOT, PHILIP J. KATZMAN, LLOYD B. KLICKSTEIN, JOHN A. SMITH, and DOUGLAS T. FEARON. Organization of the genes encoding complement receptors type 1 and 2, decay-accelerating factor, and C4-binding protein in the RCA locus on human chromosome 1

1281 CLEMENS A. DAHINDEN, JACQUELINE ZINGG, FRIEDRICH E. MALY, and ALAIN L. DE WECK. Leukotriene production in human neutrophils primed by recombinant human granulocyte/macrophage colony-stimulating factor and stimulated with the complement component C5A and FMLP as second signals

1296 MICHAEL D. CLAYMAN, MAE JANE SUN, LAUREN MICHAUD, JONI BRILL-DASHOFF, ROY RIBLET, and ERIC G. NEILSON. Clonotypic heterogeneity in experimental interstitial nephritis. Restricted specificity of the anti-tubular basement membrane B cell repertoire is associated with a disease-modifying crossreactive idiotype

1313 DAVID A. HAFLER, ALLAN D. DUBY, SOON JIN LEE, DEBORAH BENJAMIN, J. G. SEIDMAN, and HOWARD L. WEINER. Oligoclonal T lymphocytes in the cerebrospinal fluid of patients with multiple sclerosis

1323 MICHAEL L. DUSTIN, KAY H. SINGER, DEBBI T. TUCK, and TIMOTHY A. SPRINGER. Adhesion of T lymphoblasts to epidermal keratinocytes is regulated by interferon γ and is mediated by intercellular adhesion molecule 1 (ICAM-1)

1341 THOMAS T. MACDONALD and JO SPENCER. Evidence that activated mucosal T cells play a role in the pathogenesis of enteropathy in human small intestine

1350 W. HENRY BOOM, DOUGLAS LIANO, and ABUL K. ABBAS. Heterogeneity of helper/inducer T lymphocytes. II. Effects of interleukin 4- and interleukin 2-producing T cell clones on resting B lymphocytes

1364 JO VAN DAMME, JOZEF VAN BEEUMEN, GHISLAIN OPDENAKKER, and ALFONS BILLIAU. A novel, NH_2-terminal sequence-characterized human monokine possessing neutrophil chemotactic, skin-reactive, and granulocytosis-promoting activity

1377 HAJIME KARASUYAMA, ANTONIUS ROLINK, and FRITZ MELCHERS. Recombinant interleukin 2 or 5, but not 3 or 4, induces maturation of resting mouse B lymphocytes and propagates proliferation of activated B cell blasts

1391 JANET L. MARYANSKI, PIETRO PALA, JEAN-CHARLES CEROTTINI, and GIAMPIETRO CORRADIN. Synthetic peptides as antigens and competitors in recognition by H-2-restricted cytolytic T cells specific for HLA

1406 DONATA VERCELLI, HAIFA H. JABARA, BEE-WAH LEE, NANCY WOODLAND, RAIF S. GEHA, and DONALD Y. M. LEUNG. Human recombinant interleukin 4 induces FcER2/CD23 on normal human monocytes

1417 CATHERINE UYTTENHOVE, PIERRE G. COULIE, and JACQUES VAN SNICK. T cell growth and differentiation induced by interleukin-HP1/IL-6, the murine hybridoma/plasmacytoma growth factor

1428 HOWARD E. GENDELMAN, JAN M. ORENSTEIN, MALCOLM A. MARTIN, CAROL FERRUA, RITA MITRA, TERRI PHIPPS, LARRY A. WAHL, H. CLIFFORD LANE, ANTHONY S. FAUCI, DONALD S. BURKE, DONALD SKILLMAN, and MONTE S. MELTZER. Efficient isolation and propagation of human immunodeficiency virus on recombinant colony-stimulating factor 1-treated monocytes

1442 DAVID WILKINSON, RENE R. P. DE VRIES, J. ALEJANDRO MADRIGAL, CHRISTOPHER B. LOCK, JAY P. MORGENSTERN, JOHN TROWSDALE, and DANIEL M. ALTMANN. Analysis of HLA-DR glycoproteins by DNA-mediated gene transfer. Definition of DR2β gene products and antigen presentation to T cell clones from leprosy patients

1459 DANIEL A. PORTNOY, P. SUZANNE JACKS, and DAVID J. HINRICHS. Role of hemolysin for the intracellular growth of *Listeria monocytogenes*

1472 GERALD E. RANGES, ALBERT ZLOTNIK, TERJE ESPEVIK, CHARLES A. DINARELLO, ANTHONY CERAMI, and MICHAEL A. PALLADINO, JR. Tumor necrosis factor α/cachectin is a growth factor for thymocytes. Synergistic interactions with other cytokines

1479 SHIMON SAKAGUCHI and NORIKO SAKAGUCHI. Thymus and autoimmunity. Transplantation of the thymus from cyclosporin A–treated mice causes organ-specific autoimmune disease in athymic nude mice

1486 MANUELA BACCARINI, STEFAN HOCKERTZ, ALBRECHT F. KIDERLEN, and MARIE-LUISE LOHMANN-MATTHES. Extracellular killing of *Leishmania* promastigotes and amastigotes by macrophage precursors derived from bone marrow cultures

BRIEF DEFINITIVE REPORTS

1493 WOLFGANG G. BALLHAUSEN, ANGELIKA B. RESKE-KUNZ, BEATRICE TOURVIEILLE, PAMELA S. OHASHI, JANE R. PARNES, and TAK W. MAK. Acquisition of an additional antigen specificity after mouse CD4 gene transfer into a T helper hybridoma

1499 GILLIAN E. WU and CHRISTOPHER J. PAIGE. V_H gene family utilization is regulated by a locus outside of the V_H region

1505 RICHARD LUCIUS, HARTWIG SCHULZ-KEY, DIETRICH W. BÜTTNER, ANDREA KERN, BRIGITTE KALTMANN, JACQUES PROD'HON, FRANK SEEBER, ROLF D. WALTER, K. C. SAXENA, and HANS-JOCHEN DIESFELD. Characterization of an immunodominant *Onchocerca volvulus* antigen with patient sera and a monoclonal antibody

1511 PHILIPPE SECKINGER, SYLVIA ISAAZ, and JEAN-MICHEL DAYER. A human inhibitor of tumor necrosis factor α

1517 ERMANNO CICCONE, ORIANE VIALE, CRISTINA BOTTINO, DANIELA PENDE, NICOLA MIGONE, GIULIA CASORATI, GIUSEPPE TAMBUSSI, ALESSANDRO MORETTA, and LORENZO MORETTA. Antigen recognition by human T cell receptor γ–positive lymphocytes. Specific lysis of allogeneic cells after activation in mixed lymphocyte culture

Volume 167 No. 5 May 1, 1988

1523 MARIA GRAZIA RONCAROLO, HANS YSSEL, JEAN-LOUIS TOURAINE, HERVÉ BETUEL, JAN E. DE VRIES, and HERGEN SPITS. Autoreactive T cell clones specific for class I and class II HLA antigens isolated from a human chimera

1535 RICHARD S. BULLER, MARC SITBON, and JOHN L. PORTIS. The endogenous mink cell focus-forming (MCF) gp70 linked to the *Rmcf* gene restricts MCF virus replication in vivo and provides partial resistance to erythroleukemia induced by Friend murine leukemia virus

1547 PAOLA PEVERI, ALFRED WALZ, BEATRICE DEWALD, and MARCO BAGGIOLINI. A novel neutrophil-activating factor produced by human mononuclear phagocytes

1560 ELDAD BEN-CHETRIT, EDWARD K. L. CHAN, KEVIN F. SULLIVAN, and ENG M. TAN. A 52-kD protein is a novel component of the SS-A/Ro antigenic particle

1572 LEWIS L. LANIER, DAVID W. BUCK, LORI RHODES, ATHENA DING, ELIZABETH EVANS, COLLEEN BARNEY, and JOSEPH H. PHILLIPS. Interleukin 2 activation of natural killer cells rapidly induces the expression and phosphorylation of the Leu-23 activation antigen

1586 SCOTT S. ZAMVIL, DENNIS J. MITCHELL, NADINE E. LEE, ANNE C. MOORE, MATTHEW K. WALDOR, KOICHIRO SAKAI, JONATHAN B. ROTHBARD, HUGH O. MCDEVITT, LAWRENCE STEINMAN, and HANS ACHA-ORBEA. Predominant expression of a T cell receptor V_β gene subfamily in autoimmune encephalomyelitis

1597 ANGEL L. CORBI, RICHARD S. LARSON, TAKASHI K. KISHIMOTO, TIMOTHY A. SPRINGER, and CYNTHIA C. MORTON. Chromosomal location of the genes encoding the leukocyte adhesion receptors LFA-1, Mac-1, and p150,95. Identification of a gene cluster involved in cell adhesion

1608 MICHAEL J. BANDA, AUDIE G. RICE, GAIL L. GRIFFIN, and ROBERT M. SENIOR. The inhibitory complex of human α_1-proteinase inhibitor and human leukocyte elastase is a neutrophil chemoattractant

1616 WILLIAM R. GREEN, ROBERT F. RICH, and CAROL BEADLING. Differential induction of H-2K versus H-2D class I major histocompatibility antigens by recombinant γ interferon. Lack of K^k augmentation in a leukemia virus–induced tumor is due to a *cis*-dominant effect

1625 JANNIE BORST, JACQUES J. M. VAN DONGEN, REINDER L. H. BOLHUIS, PETER J. PETERS, DAVID A. HAFLER, EVERT DE VRIES, and RENE J. VAN DE GRIEND. Distinct molecular forms of human T cell receptor γ/δ detected on viable T cells by a monoclonal antibody

1645 WOLFGANG MUTTER, MATTHIAS J. REDDEHASE, FRIEDRICH W. BUSCH, HANS-JÖRG BÜHRING, and ULRICH H. KOSZINOWSKI. Failure in generating hemopoietic stem cells is the primary cause of death from cytomegalovirus disease in the immunocompromised host

1659 PAOLO LUSSO, PHILLIP D. MARKHAM, ERWIN TSCHACHLER, FULVIA DI MARZO VERONESE, S. ZAKI SALAHUDDIN, DHARAM V. ABLASHI, SAVITA PAHWA, KAI KROHN, and ROBERT C. GALLO. In vitro cellular tropism of human B-lymphotropic virus (human herpesvirus-6)

1671 GERALD J. SPANGRUDE, CHRISTA E. MULLER-SIEBURG, SHELLY HEIMFELD, and IRVING L. WEISSMAN. Two rare populations of mouse Thy-1^{lo} bone marrow cells repopulate the thymus

1684 C. EBERHARD KLEIN, HARVEY L. OZER, FRANK TRAGANOS, JENS ATZPODIEN, HERBERT F. OETTGEN, and LLOYD J. OLD. A transformation-associated 130-kD cell surface glycoprotein is growth controlled in normal human cells

1697 BERNHARD FLEISCHER and HUBERT SCHREZENMEIER. T cell stimulation by staphylococcal enterotoxins. Clonally variable response and requirement for major histocompatibility complex class II molecules on accessory or target cells

BRIEF DEFINITIVE REPORTS

1708 RICCARDO BERTINI, MARINA BIANCHI, and PIETRO GHEZZI. Adrenalectomy sensitizes mice to the lethal effects of interleukin 1 and tumor necrosis factor

1713 THOMAS J. SANTORO, JOSEPH P. PORTANOVA, and BRIAN L. KOTZIN. The contribution of L3T4$^+$ T cells to lymphoproliferation and autoantibody production in MRL-*lpr/lpr* mice

1719 RAFI AHMED and M. B. A. OLDSTONE. Organ-specific selection of viral variants during chronic infection

1725 ELLEN LI, ANNETTE BECKER, and SAMUEL L. STANLEY, JR. Use of Chinese hamster ovary cells with altered glycosylation patterns to define the carbohydrate specificity of *Entamoeba histolytica* adhesion

1731 RAJ PAREKH, IVAN ROITT, DAVID ISENBERG, RAYMOND DWEK, and THOMAS RADEMACHER. Age-related galactosylation of the *N*-linked oligosaccharides of human serum IgG

1737 YUJI YAMAGUCHI, YOSHIHIKO HAYASHI, YASUO SUGAMA, YASUSADA MIURA, TADASHI KASAHARA, SATOSHI KITAMURA, MASAMICHI TORISU, SEIJI MITA, AKIRA TOMINAGA, KIYOSHI TAKATSU, and TOSHIO SUDA. Highly purified murine interleukin 5 (IL-5) stimulates eosinophil function and prolongs in vitro survival. IL-5 as an eosinophil chemotactic factor

1743 THOMAS P. LEIST, KARL FREI, SLAVENKA KAM-HANSEN, ROLF M. ZINKERNAGEL, and ADRIANO FONTANA. Tumor necrosis factor α in cerebrospinal fluid during bacterial, but not viral, meningitis. Evaluation in murine model infections and in patients

1749 THOMAS P. LEIST, EDITH RÜEDI, and ROLF M. ZINKERNAGEL. Virus-triggered immune suppression in mice caused by virus-specific cytotoxic T cells

Volume 167 No. 6 June 1, 1988

1755 CHARLES R. MACKAY, WAYNE G. KIMPTON, MALCOLM R. BRANDON, and ROSS N. P. CAHILL. Lymphocyte subsets show marked differences in their distribution between blood and the afferent and efferent lymph of peripheral lymph nodes

1767 FRANCIS R. CARBONE, MARK W. MOORE, JAMES M. SHEIL, and MICHAEL J. BEVAN. Induction of cytotoxic T lymphocytes by primary in vitro stimulation with peptides

1781 WERNER KOCH, SERGE CANDEIAS, JOHN GUARDIOLA, ROBERTO ACCOLLA, CHRISTOPHE BENOIST, and DIANE MATHIS. An enhancer factor defect in a mutant Burkitt lymphoma cell line

1791 JUDY VAN DE WATER, M. ERIC GERSHWIN, PATRICK LEUNG, AFTAB ANSARI, and ROSS L. COPPEL. The autoepitope of the 74-kD mitochondrial autoantigen of primary biliary cirrhosis corresponds to the functional site of dihydrolipoamide acetyltransferase

1801 LINDA S. WICKER, BEVERLY J. MILLER, ANDREW CHAI, MASAZUMI TERADA, and YOKO MULLEN. Expression of genetically determined diabetes and insulitis in the nonobese diabetic (NOD) mouse at the level of bone marrow–derived cells. Transfer of diabetes and insulitis to nondiabetic (NOD $\times$ B10)F_1 mice with bone marrow cells from NOD mice

1811 CHRISTOPHER D. GREGORY, RUTH J. MURRAY, CAROLE F. EDWARDS, and ALAN B. RICKINSON. Downregulation of cell adhesion molecules LFA-3 and ICAM-1 in Epstein-Barr virus–positive Burkitt's lymphoma underlies tumor cell escape from virus-specific T cell surveillance

1825 CHRISTA E. MÜLLER-SIEBURG, KAY TOWNSEND, IRVING L. WEISSMAN, and DONNA RENNICK. Proliferation and differentiation of highly enriched mouse hematopoietic stem cells and progenitor cells in response to defined growth factors

1841 VICTOR H. VAN CLEAVE, CLAYTON W. NAEVE, and DENNIS W. METZGER. Do antibodies recognize amino acid side chains of protein antigens independently of the carbon backbone?

1849 MICHAEL S. BRONZE, EDWIN H. BEACHEY, and JAMES B. DALE. Protective and heart-crossreactive epitopes located within the NH_2 terminus of type 19 streptococcal M protein

1861 SUSAN J. CLARK, DEBBIE A. LAW, DAVID J. PATERSON, MICHAEL PUKLAVEC, and ALAN F. WILLIAMS. Activation of rat T lymphocytes by anti-CD2 monoclonal antibodies

1873 J. DAVID HAYNES, JOHN P. DALTON, FRANCIS W. KLOTZ, MARY H. MCGINNISS, TERENCE J. HADLEY, DIANA E. HUDSON, and LOUIS H. MILLER. Receptor-like specificity of a *Plasmodium knowlesi* malarial protein that binds to Duffy antigen ligands on erythrocytes

1883 KOUJI MATSUSHIMA, KAZUHIRO MORISHITA, TEIZO YOSHIMURA, SUKADEV LAVU, YOSHIRO KOBAYASHI, WOOK LEW, ETTORE APPELLA, HSIANG F. KUNG, EDWARD J. LEONARD, and JOOST J. OPPENHEIM. Molecular cloning of a human monocyte-derived neutrophil chemotactic factor (MDNCF) and the induction of MDNCF mRNA by interleukin 1 and tumor necrosis factor

1895 JOZEF KLENIEWSKI and VIRGINIA DONALDSON. Granulocyte elastase cleaves human high molecular weight kininogen and destroys its clot-promoting activity

1909 RICHARD L. WEINSHANK, ANDREW D. LUSTER, and JEFFREY V. RAVETCH. Function and regulation of a murine macrophage-specific IgG Fc receptor, FcγR-α

1927 M. J. MCELRATH, H. W. MURRAY, and Z. A. COHN. The dynamics of granuloma formation in experimental visceral leishmaniasis

BRIEF DEFINITIVE REPORTS

1939 GEORGE DAVATELIS, PATRICIA TEKAMP-OLSON, STEPHEN D. WOLPE, KATHY HERMSEN, CHRISTINA LUEDKE, CAROL GALLEGOS, DORIS COIT, JAMES MERRYWEATHER, and ANTHONY CERAMI. Cloning and characterization of a cDNA for murine macrophage inflammatory protein (MIP), a novel monokine with inflammatory and chemokinetic properties

1945 DEBRA BESSEN and VINCENT A. FISCHETTI. Passive acquired mucosal immunity to group A streptococci by secretory immunoglobulin A

1951 PRAVINKUMAR B. SEHGAL, DAVID C. HELFGOTT, UMA SANTHANAM, STEPHEN B. TATTER, ROBERT H. CLARICK, JOHN GHRAYEB, and LESTER T. MAY. Regulation of the acute phase and immune responses in viral disease. Enhanced expression of the β_2-interferon/hepatocyte-stimulating factor/interleukin 6 gene in virus-infected human fibroblasts

1957 SUSAN H. SOCHER, ARTHUR FRIEDMAN, and DOUGLAS MARTINEZ. Recombinant human tumor necrosis factor induces acute reductions in food intake and body weight in mice

1963 LLOYD S. GRAY, JAMES GNARRA, ERIK L. HEWLETT, and VICTOR H. ENGELHARD. Increased intracellular cyclic adenosine monophosphate inhibits T lymphocyte-mediated cytolysis by two distinct mechanisms

1969 MICHAEL C. NUSSENZWEIG, ALBERT C. SHAW, ERIC SINN, JUANITA CAMPOS-TORRES, and PHILIP LEDER. Allelic exclusion in transgenic mice carrying mutant human IgM genes

1975 IVAN STAMENKOVIC and BRIAN SEED. Analysis of two cDNA clones encoding the B lymphocyte antigen CD20 (B1, Bp35), a type III integral membrane protein

1981 ROSSELLA DI STEFANO, ATHANASIA MOUZAKI, DORIAN ARANEDA, TIBOR DIAMANTSTEIN, NICHOLAS L. TILNEY, and JERZY W. KUPIEC-WEGLINSKI. Anti-interleukin 2 receptor monoclonal antibodies spare phenotypically distinct T suppressor cells in vivo and exert synergistic biological effects

1987 ANDERS WAAGE and TERJE ESPEVIK. Interleukin 1 potentiates the lethal effect of tumor necrosis factor α/cachectin in mice

1993 MARILYN J. TELEN, SHARON E. HALL, ANNETTE M. GREEN, JOHN J. MOULDS, and WENDELL F. ROSSE. Identification of human erythrocyte blood group antigens on decay-accelerating factor (DAF) and an erythrocyte phenotype negative for DAF

1999 BIRGITTA HEYMAN, LARS PILSTRÖM, and MARC J. SHULMAN. Complement activation is required for IgM-mediated enhancement of the antibody response

2005 H. ROBSON MACDONALD, THIERRY PEDRAZZINI, RETO SCHNEIDER, JACQUES A. LOUIS, ROLF M. ZINKERNAGEL, and HANS HENGARTNER. Intrathymic elimination of Mls^a-reactive ($V_{\beta 6}^+$) cells during neonatal tolerance induction to Mls^a-encoded antigens

2011 RICHARD BAER, ALAN FORSTER, ISABELLE LAVENIR, and TERENCE H. RABBITTS. Immunoglobulin V_H genes are transcribed by T cells in association with a new 5′ exon

2017 NAOKI OYAIZU, RYOJI YASUMIZU, MUNEO MIYAMA-INABA, SHOSAKU NOMURA, HIROTSUGU YOSHIDA, SHIGEKI MIYAWAKI, YOSHIHISA SHIBATA, SACHIHIKO MITSUOKA, KOJIRO YASUNAGA, SOTOKICHI MORII, ROBERT A. GOOD, and SUSUMU IKEHARA. (NZW × BXSB)F_1 mouse. A new animal model of idiopathic thrombocytopenic purpura

2023 CORRECTION

2025 AUTHOR INDEX TO VOLUME 167